

AUTHOR INDEX VOLUMES 1 TO 25 (1971 TO 1995)

Vol–page

Main entries have the authors' names in upper case letters. Co-authors are cross-referenced in lower case letters.

A

- ABEL, D.B. Linear programming and its application to the locational planning of wood-processing industries 3–259
- ABO EL-NIL, M.; WOCHOK, Z.S. Seed weight and *in vitro* bud induction potential in *Pseudotsuga menziesii* cotyledons cultured *in vitro* 16–283
- ADAMS, J.A. Critical soil magnesium levels for radiata pine nutrition 3–390
- ADAMS, J.A.; WALKER, T.W. Nutrient relationships of radiata pine in Tasman Forest, Nelson 5–18
- Adams, J.A. *see also* LEVETT, M.P.
- Adams, J.A. *see also* OLYKAN, S.T.
- ADDIS TSEHAYE; WALKER, J.C.F. Spiral grain in Canterbury *Pinus radiata*: Within- and between-tree variations and effect on mechanical properties 25–358
- ÅGREN, G.I.; WIKSTRÖM, J.F. Modelling carbon allocation—A review 23–343
- ALBERT, D.J.; FRY, G.; POOLE, B.R. An industrial company's view of nursery stock quality 10–2
- Allbrook, R.F. *see* BATHGATE, J.L.
- Allen, J.D. *see* WILSON, P.J.
- ALLEN, P.J. Polynomial taper equation for *Pinus caribaea* 21–194
- Allen, P.J. *see also* GADGIL, R.L.
- ALLEN, R.B.; PLATT, K.H.; COKER, R.E.J. Understorey species composition patterns in a *Pinus radiata* plantation on the central North Island volcanic plateau, New Zealand 25–301
- ALLISON, R.W. Bleaching alkaline pulps from *Pinus radiata* 12–107
- ALLISON, R.W. Extended oxygen delignification of alkaline pulps from *Pinus radiata* 11–287
- ALMA, P.J. Infection of pupae of *Heliothis armigera* by *Paecilomyces farinosus* 5–42
- ALMA, P.J.; VAN BOVEN, R.J. Insect invasion and survival of Douglas fir stumps 5–306

Alma, P.J. <i>see also</i> MOORE, S.	
ANDREW, I.A. Letter to the Editor	14–147
Andrew, I.A. <i>see also</i> BURDON, R.D.	
Andrew, I.A. <i>see also</i> CAREY, M.L.	
Anton, A. <i>see</i> GRANT, D.J.	
Arnaud, Y. <i>see</i> FOURET, Y.	
Attiwill, P.M. <i>see</i> BAKER, T.G.	

B

BACON, G.J.; HAWKINS, P.J.; WARD, J.P. Productivity of commercial thinning operations in Queensland plantations—Influence of alternative silvicultural options	12–308
BADDELEY, C. Detection of new insects and diseases in indigenous forests in New Zealand	19–250
BAGNALL, R.K. Treatment of <i>Pinus sylvestris</i> posts with a CCA preservative	12–96
Bain, J. <i>see</i> HOSKING, G.P.	
BAKER, R.; COWLEY, J. Evaluation of the economic impact of newly introduced pests	19–330
BAKER, T.G. Dry matter, nitrogen, and phosphorus content of litterfall and branchfall in <i>Pinus radiata</i> and <i>Eucalyptus</i> forests	13–205
BAKER, T.G.; ATTIWILL, P.M.; STEWART, H.T.L. Biomass equations for <i>Pinus radiata</i> in Gippsland, Victoria	14–89
BALL, G.F.A.; HERRINGTON, P.A.; PATRICK, J.E. Tall oil pitch as bitumen extender	23–236
BALLARD, R. Effect of first rotation phosphorus applications on fertiliser requirements of second rotation radiata pine	8–135
BALLARD, R. Effect of slash and soil removal on the productivity of second rotation radiata pine on a pumice soil	8–248
BALLARD, R. Influence of a heavy phosphate dressing and subsequent radiata pine response on the properties of a Riverhead clay soil	2–202
BALLARD, R. Transformation of nitrogen fertilisers and movement of nutrients from the surface of a rhyolitic pumice forest soil	9–53
BALLARD, R. Use of fertilisers at establishment of exotic forest plantations in New Zealand	8–70
BALLARD, R. Use of soil testing for predicting phosphate fertiliser requirements of radiata pine at time of planting	4–27
BALLARD, R. Use of the Bray soil test in forestry. 1. Predicting phosphate retention capacity	8–239

Authors	5
	<i>Vol–page</i>
BALLARD, R. Use of the Bray soil test in forestry. 2. Determination of cation status	8–332
BALLARD, R.; WILL, G.M. Accumulation of organic matter and mineral nutrients under a <i>Pinus radiata</i> stand	11–145
BALLARD, R.; WILL, G.M. Distribution of aerially applied fertiliser in New Zealand forests	1–50
BALLARD, R.; WILL, G.M. Past and projected use of fertilisers in New Zealand forests	8–15
BALLARD, R.; WILL, G.M. Removal of logging waste, thinning debris, and litter from a <i>Pinus radiata</i> pumice soil site	11–152
Ballard, R. <i>see also</i> WHYTE, A.G.D.	
BALNEAVES, J.M. Frost damage, survival, and growth of <i>Pinus radiata</i> , <i>P. muricata</i> , and <i>P. contorta</i> seedlings on a frost flat	18–161
BALNEAVES, J.M. Packaging and cool-storage effects on growth of <i>Cupressus macrocarpa</i> seedlings	18–297
BALNEAVES, J.M.; DAVENHILL, N.A. Triclopyr—The forest managers' alternative to 2,4,5-T?	20–295
BALNEAVES, J.M.; de la MARE, P.J. Root patterns of <i>Pinus radiata</i> planted in five ripping treatments in a Canterbury forest	18–29
BALNEAVES, J.M.; MENZIES, M.I. Lifting and handling procedures at Edendale nursery—Effects on survival and growth of 1/0 <i>Pinus radiata</i> seedlings	18–132
BALNEAVES, J.M.; MENZIES, M.I. Water potential and subsequent growth of <i>Pinus radiata</i> seedlings: Influence of lifting, packaging, and storage conditions	20–257
BALNEAVES, J.M.; MENZIES, M.I.; HONG, S.O. <i>Pinus radiata</i> seedling water potential and root and shoot growth as affected by type and duration of storage	22–24
Balneaves, J.M. <i>see also</i> RICHARDSON, B.	
BANKES, T.G.H. Productivity and costs, with special reference to the felling bench	12–171
BANNISTER, M.H. An early progeny trial in <i>Pinus radiata</i> . 2. Subjective assessment of crookedness	9–241
BANNISTER, M.H. An early progeny trial in <i>Pinus radiata</i> . 3. Characters affecting log quality	10–325
BANNISTER, M.H.; VINE, M.H. An early progeny trial in <i>Pinus radiata</i> . 4. Wood density	11–221
Bannister, M.H. <i>see also</i> BURDON, R.D.	
BARGH, B.J. Output of water, suspended sediment, and phosphorus and nitrogen forms from a small forested catchment	7–162

	<i>Vol-page</i>
BARKER, J.E. Bole growth patterns of <i>Pinus radiata</i> D. Don in relation to fertilisation, bending stress, and crown growth	10-445
BARKER, J.E. Growth and wood properties of <i>Pinus radiata</i> in relation to applied ethylene	9-15
BARKER, J.E. Some silvicultural effects of fertilisation	8-160
BARNES, R.D. Air-layering of grafts to overcome incompatibility problems in propagating old pine plus trees	4-120
BARNETT, J.R. Rings of collapsed cells in <i>Pinus radiata</i> stemwood from lysimeter-grown trees subjected to drought	6-461
BARNETT, J.R. Winter activity in the cambium of <i>Pinus radiata</i>	1-208
Barnett, J.R. <i>see also</i> HARRIS, J.M.	
Barnett, J.R. <i>see also</i> WASHER, J.	
Barr, N.J. <i>see</i> CROMER, R.N.	
BARTON, I.L. Letter to the Editor	13-369
BARTON, I.L. Temperature and its effect on the germination and early growth of kauri (<i>Agathis australis</i>)	8-327
Barton, I.L. <i>see also</i> MESSINA, M.G.	
Barton, P.G. <i>see</i> DYCK, W.J.	
Barton, P.G. <i>see also</i> GADGIL, R.L.	
BATCHELER, C.L.; CHALLIES, C.N. Loss of Compound 1080 (sodium monofluoroacetate) from Carbopol gel smeared on foliage to poison deer	18-109
BATCHELER, C.L.; HODDER, R.A.C. Tests of a distance technique for inventory of pine plantations	5-3
BATHGATE, J.L.; GUO, L.B.; ALLBROOK, R.F.; PAYN, T.W. Microsite effect on <i>Eucalyptus regnans</i> growth	23-154
Bawden, A.D. <i>see</i> GADGIL, P.D.	
Bawden, A.D. <i>see also</i> KIBBLEWHITE, R.P.	
Beaton, K. <i>see</i> SALONIUS, P.	
BEETS, P.N. Amount and distribution of dry matter in a mature beech-podocarp community	10-418
BEETS, P.N. Determination of the fascicle surface area for <i>Pinus radiata</i>	7-397
BEETS, P.N.; BROWNLIE, R.K. Puruki experimental catchment: Site, climate, forest management, and research	17-137
BEETS, P.N.; JOKELA, E.J. Upper mid-crown yellowing in <i>Pinus radiata</i> : Some genetic and nutritional aspects associated with its occurrence	24-35
BEETS, P.N.; LANE, P.M. Specific leaf area of <i>Pinus radiata</i> as influenced by stand age, leaf age, and thinning	17-283

	<i>Vol-page</i>
BEETS, P.N.; MADGWICK, H.A.I. Above-ground dry matter and nutrient content of <i>Pinus radiata</i> as affected by lupin, fertiliser, thinning, and stand age	18-43
BEETS, P.N.; POLLOCK, D.S. Accumulation and partitioning of dry matter in <i>Pinus radiata</i> as related to stand age and thinning	17-246
BEETS, P.N.; POLLOCK, D.S. Uptake and accumulation of nitrogen in <i>Pinus radiata</i> stands as related to age and thinning	17-353
Beets, P.N. <i>see also</i> HOLLINGER, D.Y.	
Beets, P.N. <i>see also</i> MADGWICK, H.A.I.	
Beets, P.N. <i>see also</i> PARFITT, R.L.	
Beets, P.N. <i>see also</i> SMITH, C.T.	
Bell, T.I.W. <i>see</i> HOOD, I.A.	
BELTON, M.C.; DAVIS, M.R. Growth decline and phosphorus response by Douglas fir on a degraded high-country yellow-brown earth	16-55
BELTON, M.C.; O'CONNOR, K.F.; ROBSON, A.B. Phosphorus levels in topsoils under conifer plantations in Canterbury high country grasslands	25-265
Belton, M.C. <i>see also</i> LEDGARD, N.J.	
BENEA, V.; CRISTESCU, V. Propagation of <i>Platanus</i> \forall <i>acerifolia</i> Willd. from cuttings	4-167
BENECKE, U. Surface area of needles in <i>Pinus radiata</i> with respect to age and crown position	9-267
Benecke, U. <i>see also</i> SWANSON, R.H.	
BENGTSSON, J.; WIKSTRÖM, J.F. Effects of whole-tree harvesting on the amount of soil carbon: Model results	23-380
BENSON, A.D.; SHEPHERD, K.R. Effects of nursery practice on <i>Pinus radiata</i> seedling characteristics and field performance: I. Nursery seedbed density	6-19
BENSON, A.D.; SHEPHERD, K.R. Effects of nursery practice on <i>Pinus radiata</i> seedling characteristics and field performance: II. Nursery root wrenching	7-68
BERESFORD, R.M.; MULHOLLAND, R.I. Susceptibility of farm shelter cypresses to three fungi associated with cypress canker disease	12-7
BERGIN, D.O.; KIMBERLEY, M.O. Establishing kauri in a pine stand and in scrub	17-3
BERGIN, D.O.; KIMBERLEY, M.O.; MARDEN, M. Protective value of regenerating tea tree stands on erosion-prone hill country, East Coast, North Island, New Zealand	25-3
Bergin, D.O. <i>see also</i> SMALE, M.C.	
BERGMANN, B.A.; STOMP, A.-M. Family and clonal variation in susceptibility of <i>Pinus radiata</i> to <i>Agrobacterium tumefaciens</i> in relation to <i>in vitro</i> shoot growth rate	24-3

- Beveridge, A.E. *see* SMALE, M.C.
- BHATNAGAR, H.P. Vegetative propagation rooting practices with forest trees in India 4-170
- Bhattacharya, N.C. *see* NANDA, K.K.
- BIER, H. Bending properties of structural timber from a 28-year-old stand of New Zealand *Pinus radiata* 15-233
- BIER, H. Log quality and the strength and stiffness of structural timber 16-176
- BIER, H. *Pinus radiata* plywood: Influence of panel width and loading method on bending properties 14-400
- BIER, H. Strength properties of *Pinus radiata* plywood at angles to face grain 14-349
- BIER, H. Stress-grades for *Pinus radiata* plywood from basic density and knot ratio 16-197
- BIER, H. Structural properties of timber from two poplar varieties 15-223
- BILAN, M.V. Rooting of *Liquidambar styraciflua* cuttings 4-177
- BILLINGTON, H.L.; SWEET, G.B.; BOLTON, P. Allozyme analysis in seed and tree identification in New Zealand 20-16
- BIRK, E.M. Fertiliser use in the management of pine and eucalypt plantations in Australia: A review of past and current practices 24-289
- BLAKE, T.J. Effects of thermoperiod on seedling development in *Eucalyptus obliqua* 6-27
- BOEIJINK, D.E.; BROEKHUIZEN, J.T.M. Rooting of cuttings of *Pinus sylvestris* under mist 4-127
- BOERSMA, A. Opossums in the Hokitika River catchment 4-64
- BOLLMANN, M.P. Morphology of long-shoot development in *Pinus radiata* 13-275
- BOLLMANN, M.P.; SWEET, G.B. Bud morphogenesis of *Pinus radiata* in New Zealand. I: The initiation and extension of the leading shoot of one clone at two sites 6-376
- BOLLMANN, M.P.; SWEET, G.B. Bud morphogenesis of *Pinus radiata* in New Zealand. II. The seasonal shoot growth pattern of seven clones at four sites 9-153
- Bollmann, M.P. *see also* ROOK, D.A.
- Bollmann, M.P. *see also* SWEET, G.B.
- Bolton, P. *see* BILLINGTON, H.L.
- BONGA, J.M. Vegetative propagation: Tissue and organ culture as an alternative to rooting cuttings 4-253
- BOOKER, R.E. Changes in transverse wood permeability during drying of *Dacrydium cupressinum* and *Pinus radiata* 20-231
- BOOKER, R.E. Problems in the measurement of longitudinal sapwood permeability and hydraulic conductivity 7-297

	<i>Vol–page</i>
BOOKER, R.E.; KININMONTH, J.A. Variation in longitudinal permeability of green radiata pine wood	8–295
Borough, C.J. <i>see</i> CREMER, K.W.	
BOSTRÖM, C. Profitability of thinning: Short- and long-term considerations	12–364
BOYD, J.D. Compression wood force generation and functional mechanics	3–240
BOYD, J.D. Compression wood force generation: A rejoinder (Letter)	4–117
BREDENKAMP, B.V.; BURKHART, H.E. Diameter growth of <i>Eucalyptus grandis</i> under conditions of extreme suppression	20–162
Brittain, E.G. <i>see</i> WOOD, G.B.	
BRIX, H. Rooting of cuttings from mature Douglas fir	4–133
BROAD, L.R. Area conservation mechanisms associated with forest management	20–120
Broekhuizen, J.T.M. <i>see</i> BOEIJINK, D.E.	
Brookes, D. <i>see</i> KIBBLEWHITE, R.P.	
BROWN, A.G. Background to thinning practice in Australia	6–133
Brown, A.G. <i>see</i> LIBBY, W.J.	
Brown, A.G. <i>see</i> NICHOLLS, J.W.P.	
Brown, C.L. <i>see</i> KORMANIK, P.P.	
Brownlie, R.K. <i>see</i> BEETS, P.N.	
BUCHANAN, P.K. Identification of Australasian species of wood-decay fungi—A New Zealand perspective	19–294
BULLOCH, B.T. <i>Eucalyptus</i> species selection for soil conservation in seasonally dry hill country—Twelfth year assessment	21–10
BULMAN, L.S. Forestry quarantine risk of cargo imported into New Zealand	22–32
BULMAN, L.S. Incidence and severity of <i>Cyclaneusma</i> needle-cast in fifteen <i>Pinus radiata</i> plantations in New Zealand	18–92
Bulman, L.S. <i>see also</i> VAN DER PAS, J.B.	
Bunn, E.H. <i>see</i> MACINTOSH, J.D.	
BURDON, R.D. Annual growth stages for height and diameter in <i>Pinus radiata</i>	24–11
BURDON, R.D. Compression wood in <i>Pinus radiata</i> clones on four different sites	5–152
BURDON, R.D. Foliar macronutrient concentrations and foliage retention in radiata pine clones on four sites	5–250
BURDON, R.D. Generalisation of multi-trait selection indices using information from several sites	9–145
BURDON, R.D. Genetic survey of <i>Pinus radiata</i> . 9: General discussion and implications for genetic management	22–274

	Vol–page
BURDON, R.D. Photoperiodic effect on pollen shedding in <i>Pinus radiata</i> ?	7–214
BURDON, R.D.; BANNISTER, M.H. Growth and morphology of seedlings and juvenile cuttings in six populations of <i>Pinus radiata</i>	15–123
BURDON, R.D.; HARRIS, J.M. Wood density in radiata pine clones on four different sites	3–286
BURDON, R.D.; LOW, C.B. Effects of site on expression of cone characters in radiata pine	3–110
BURDON, R.D.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 6: Wood properties: Variation, heritabilities, and interrelationships with other traits	22–228
BURDON, R.D.; LOW, C.B. Seed production in radiata pine clones on four different sites	3–211
BURDON, R.D.; LOW, C.B. Variation in needle characters of <i>Pinus radiata</i> from mainland California	7–16
BURDON, R.D.; SHELBOURNE, C.J.A. Breeding populations for recurrent selection: Conflicts and possible solutions	1–174
BURDON, R.D.; SHELBOURNE, C.J.A. Use of vegetative propagules for obtaining genetic information	4–418
BURDON, R.D.; BANNISTER, M.H.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 2: Population comparisons for growth rate, disease resistance, and morphology	22–138
BURDON, R.D.; BANNISTER, M.H.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 3: Variance structures and narrow-sense heritabilities for growth variables and morphological traits in seedlings	22–160
BURDON, R.D.; BANNISTER, M.H.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 4: Variance structures and heritabilities in juvenile clones	22–187
BURDON, R.D.; BANNISTER, M.H.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 5: Between-trait and age-age correlations for growth rate, morphology, and disease resistance	22–211
BURDON, R.D.; ZABKIEWICZ, J.A.; ANDREW, I.A. Genetic survey of <i>Pinus radiata</i> . 8: Population differences in monoterpene composition of cortical oleoresin	22–257
BURDON, R.D.; BANNISTER, M.H.; MADGWICK, H.A.I.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 1: Introduction, description of experiment, and basic methodology	22–119
BURDON, R.D.; GASKIN, R.E.; LOW, C.B.; ZABKIEWICZ, J.A. Clonal repeatability of monoterpene composition of cortical oleoresin of <i>Pinus radiata</i>	22–299
BURDON, R.D.; GASKIN, R.E.; ZABKIEWICZ, J.A.; LOW, C.B. Genetic survey of <i>Pinus radiata</i> . 7: Variation and inheritance of pinene composition in wood oleoresin	22–246

	<i>Vol-page</i>
Burdon, R.D. <i>see also</i> COWN, D.J.	
Burdon, R.D. <i>see also</i> DONALDSON, L.A.	
Burdon, R.D. <i>see also</i> JENKINS, P.A.	
Burdon, R.D. <i>see also</i> KING, J.N.	
BURGESS, I.P. Vegetative propagation of <i>Eucalyptus grandis</i>	4-181
BURKHART, H.E.; TENNENT, R.B. Site index equations for Douglas fir in Kaingaroa Forest	7-417
BURKHART, H.E.; TENNENT, R.B. Site index equations for radiata pine in New Zealand	7-408
Burkhart, H.E. <i>see also</i> BREDENKAMP, B.V.	
Burton, R.J. <i>see</i> PLACKETT, D.V.	
BUTCHER, J.A. Control of sapstain and decay in unseasoned Douglas fir	3-355
BUTCHER, J.A.; DRYSDALE, J. Efficacy of acidic and alkaline solutions of alkylammonium compounds as wood preservatives	8-403
BUTCHER, J.A.; PRESTON, A.F. Toxicity of tertiary amine acetates against basidiomycetes and soft-rot fungi	8-397
BUTCHER, J.A.; PRESTON, A.F.; DRYSDALE, J. Potential of unmodified and copper-modified alkylammonium compounds as groundline preservatives	9-348
Butcher, J.A. <i>see also</i> PRESTON, A.F.	
BUTCHER, S.M.; FOUNTAIN, D.W. Extraction of protein from <i>Pinus</i> tissue for analysis by electrophoretic and serological techniques	17-121
BUTCHER, T.B.; HAVEL, J.J. Influence of moisture relationships on thinning practice	6-158
BUTTERFIELD, B.G.; MEYLAN, B.A. Perforation plates: Observations using scanning electron microscopy	1-116
Buxton, P.A. <i>see</i> TEASDALE, R.D.	
C	
Calvert, K.T. <i>see</i> HUNTER, I.R.	
Cameron, D.M. <i>see</i> EASTHAM, J.	
Cameron, R.E. <i>see</i> SMART, D.W.	
CAMERON, R.J.; ROOK, D.A. Rooting cuttings of radiata pine: Environmental and physiological aspects	4-291
Campbell, R.A. <i>see</i> DURZAN, D.J.	
CANDY, S.G. Compatible tree volume and variable-form stem taper models for <i>Pinus radiata</i> in Tasmania	19-97
CANDY, S.G. Growth and yield models for <i>Pinus radiata</i> in Tasmania	19-112

	<i>Vol-page</i>
CANNON, P.G.; SHELBOURNE, C.J.A. Forward selection plots in breeding programmes with insect-pollinated tree species	23–3
CARBONNIER, C. Current Scandinavian thinking on thinning practice and yield	6–357
CAREY, M.L.; HUNTER, I.R.; ANDREW, I.A. <i>Pinus radiata</i> forest floors: Factors affecting organic matter and nutrient dynamics	12–36
CARLYLE, J.C. Opportunities for managing nitrogen uptake in established <i>Pinus radiata</i> plantations on sandy soils	24–344
CARLYLE, J.C. Organic carbon in forested sandy soils: Properties, processes, and the impact of forest management	23–390
CARRINGTON, A.M.; KEYEY, R.B.; WALKER, J.C.F. Free shrinkage of <i>Pinus radiata</i> at an elevated temperature	25–348
CARRINGTON, A.M.; KEYEY, R.B.; PUGH, M.D.; WALKER, J.C.F. Failure of <i>Pinus radiata</i> veneer in tension across the grain	24–120
CARSON, M.J. Advantages of clonal forestry for <i>Pinus radiata</i> —Real or imagined?	16–403
CARSON, M.J.; INGLIS, C.S. Genotype and location effects on internode length of <i>Pinus radiata</i> in New Zealand	18–267
Carson, M.J. <i>see also</i> GRACE, J.C.	
CARSON, S.D. Genotype × environment interaction and optimal number of progeny test sites for improving <i>Pinus radiata</i> in New Zealand	21–32
CARSON, S.D. Selecting <i>Pinus radiata</i> for resistance to <i>Dothistroma</i> needle blight	19–3
Carson, S.D. <i>see also</i> GRACE, J.C.	
CARTER, P.C.S. Risk assessment and pest detection surveys for exotic pests and diseases which threaten commercial forestry in New Zealand	19–353
Carter, P.R. <i>see</i> CREMER, K.W.	
CAVANA, R.Y.; GLASS, B.P. Economic analysis of selected special-purpose species regimes	15–180
CHALLIES, C.N. Effects of commercial hunting on red deer densities in the Arawata Valley, south Westland, 1972–76	7–263
Challies, C.N. <i>see also</i> BATCHELER, C.L.	
CHANDLER, K.C. Extraction thinning operations in young radiata pine at Kaingaroa Forest	6–193
Chang, P.C. <i>see</i> GROZDITS, G.A.	
Chappelka, A.H. <i>see</i> KELLY, J.M.	
Charles-Edwards, D.A. <i>see</i> EASTHAM, J.	
Charlton, J.F.L. <i>see</i> GADGIL, R.L.	
CHAVASSE, C.G.R. Letter to the Editor	16–126

	<i>Vol-page</i>
CHAVASSE, C.G.R. Preliminary results on the effect of selection management of terrace rimu forest (James and Franklin): Comment	8–312
Chittenden, C.M. <i>see</i> PLACKETT, D.V.	
Chittenden, C.M. <i>see also</i> PRESTON, A.F.	
Chittenden, J. <i>see</i> JACKSON, D.S.	
CHMELAR, J. Propagation of willows by cuttings	4–185
CHONG, S.L. Effect of moisture content on preservative retention in sawn timber	7–258
CHONG, S.L. Veneer yields of New Zealand grown slash pine	7–420
Chong, S.L. <i>see also</i> HUTCHINSON, C.I.	
CHOU, C.K.S. A shoot dieback in <i>Pinus radiata</i> caused by <i>Diplodia pinea</i> . I. Symptoms, disease development, and isolation of pathogen	6–72
CHOU, C.K.S. A shoot dieback in <i>Pinus radiata</i> caused by <i>Diplodia pinea</i> . II. Inoculation studies	6–409
CHOU, C.K.S. <i>Diplodia pinea</i> infection of <i>Pinus radiata</i> seedlings: Effect of temperature and shoot wetness duration	12–425
CHOU, C.K.S. Suppression of <i>Diplodia pinea</i> spore germination at the shoot surface of <i>Pinus radiata</i>	11–3
CHOU, C.K.S. Susceptibility of <i>Pinus radiata</i> seedlings to infection by <i>Diplodia pinea</i> as affected by pre-inoculation conditions	12–438
Chou, C.K.S. <i>see also</i> SELF, N.M.	
CHU-CHOU, M.; GRACE, L.J. <i>Endogone flammicorona</i> as a mycorrhizal associate of Douglas fir in New Zealand	9–344
CHU-CHOU, M.; GRACE, L.J. <i>Hymenogaster albus</i> —A mycorrhizal fungus of <i>Eucalyptus</i> in New Zealand	11–186
CHU-CHOU, M.; GRACE, L.J. Mycorrhizal fungi of <i>Pinus radiata</i> planted on farmland in New Zealand	17–76
CLARKE, C.M.H. Dispersal of four strains of red deer in northern South Island districts	3–342
CLARKE, C.M.H. Eruption, deterioration, and decline of the Nelson red deer herd	5–235
CLARKE, C.M.H. Liberations and dispersal of red deer in northern South Island districts	1–194
CLEARY, B.D.; TINUS, R. Preservation of nursery stock quality through packaging, storage, transport, and planting	10–295
CLEARY, B.D.; ZAERR, J.B. Pressure chamber techniques for monitoring and evaluating seedling water status	10–133
CLINTON, P.W.; FRAMPTON, C.M.; MEAD, D.J. Modelling competitive pasture effects on nutrient uptake by <i>Pinus radiata</i>	24–268

	<i>Vol–page</i>
COBOS SUAREZ, J.M.; RUIZ URRESTARAZU, M.M. Forest health problems affecting <i>Pinus radiata</i> in Spain with special reference to the Basque region	19–228
COKER, A. Nitrogen status of <i>Pinus radiata</i> seedlings after undercutting: Changes in total, soluble, and insoluble nitrogen	14–277
COKER, A.; COURT, D.; SILVESTER, W.B. Evaluation of foliar urea applications in the presence and absence of surfactant on the nitrogen requirements of conditioned <i>Pinus radiata</i> seedlings	17–51
Coker, R.E.J. <i>see</i> ALLEN R.B.	
COLE, A.H. Scheduling and control of large-scale thinning operations	6–221
Collins, M.J. <i>see</i> HARRIS, J.M.	
COMERFORD, N.B.; DYCK, W.J. Interaction of forest floor material and mineral soil on orthophosphate sorption	18–191
COMERFORD, N.B.; SMETHURST, P.J.; ESCAMILLA, J.A. Nutrient uptake by woody root systems	24–195
Cooke, J.G. <i>see</i> COOPER, A.B.	
Coolbear, P. <i>see</i> RIMBAWANTO, A.	
COOPER, A.B.; HEWITT, J.E.; COOKE, J.G. Land use impacts on streamwater nitrogen and phosphorus	17–179
COOPER, A.N. “User-pays” and the impact on forest produce import and export quarantine in New Zealand	19–318
COOPER, R.J.; KALAFATIS, S.P.; McPHERSON, A.J. Competitive positioning strategy for New Zealand <i>Pinus radiata</i> in selected United Kingdom sawn timber markets	25–379
COPESE, D.L. Development of internal graft incompatibility symptoms in <i>Pinus radiata</i> D. Don	10–367
CORNFORTH, I.S. Maintenance fertilisers for grazed pastures in New Zealand: An agriculture perspective on applying theory to management	24–279
CORSON, S.R. Application of size reduction theories to disc refiner pulp production	1–125
Court, D. <i>see</i> COKER, A.	
COUSINS, W.J. Effects of strain rate on the surface morphology of <i>Pinus radiata</i> broken by transverse tensile forces	4–94
COUSINS, W.J. Elasticity of isolated lignin: Young’s modulus by a continuous indentation method	7–107
Cowley, J. <i>see</i> BAKER, R.	
COWN, D.J. A note on the estimation of basic density of fresh wood chips	10–502
COWN, D.J. Comparison of the effects of two thinning regimes on some wood properties of radiata pine	4–540

	<i>Vol-page</i>
COWN, D.J. Comparison of the Pilodyn and Torsiometer methods for the rapid assessment of wood density in living trees	8–384
COWN, D.J. Corewood (juvenile wood) in <i>Pinus radiata</i> —Should we be concerned?	22–87
COWN, D.J. Effects of severe thinning and pruning treatments on the intrinsic wood properties of young radiata pine	3–379
COWN, D.J. Partial defoliation and wood properties of 5-year-old <i>Pinus radiata</i>	7–192
COWN, D.J. Physical properties of Corsican pine grown in New Zealand	4–76
COWN, D.J. Radiata pine: Wood age and wood property concepts	10–504
COWN, D.J. Wood density of <i>Pinus caribaea</i> var. <i>hondurensis</i> grown in Fiji	11–244
COWN, D.J.; HUTCHISON, J.D. Wood density as an indicator of the bending properties of <i>Pinus radiata</i> poles	13–87
COWN, D.J.; KIBBLEWHITE, R.P. Effects of wood quality variation in New Zealand radiata pine on kraft paper properties	10–521
COWN, D.J.; McCONCHIE, D.L. Effects of thinning and fertiliser application on wood properties of <i>Pinus radiata</i>	11–79
COWN, D.J.; McCONCHIE, D.L. Rotation age and silvicultural effects on wood properties of four stands of <i>Pinus radiata</i>	12–71
COWN, D.J.; McCONCHIE, D.L. Wood property variations in an old-crop stand of radiata pine	10–508
COWN, D.J.; McCONCHIE, D.L.; KIMBERLEY, M.O. Sawing methods for <i>Pinus radiata</i> pruned logs—An indicative study	18–345
COWN, D.J.; McCONCHIE, D.L.; TRELOAR, C. Timber recovery from pruned <i>Pinus radiata</i> butt logs at Mangatu: Effect of log sweep	14–109
COWN, D.J.; WALFORD, G.B.; KIMBERLEY, M.O. Cross-grain effect on tensile strength and bending stiffness of <i>Pinus radiata</i> structural lumber	25–256
COWN, D.J.; YOUNG, G.D.; BURDON, R.D. Variation in wood characteristics of 20-year-old half-sib families of <i>Pinus radiata</i>	22–63
COWN, D.J.; YOUNG, G.D.; KIMBERLEY, M.O. Spiral grain patterns in plantation-grown <i>Pinus radiata</i>	21–206
Cown, D.J. <i>see also</i> DONALDSON, L.A.	
Cown, D.J. <i>see also</i> LAUSBERG, M.J.F.	
Cown, D.J. <i>see also</i> TIAN, X.	
Craig, I.E. <i>see</i> MYERS, B.J.	
CRANE, W.J.B. Fertiliser treatment of <i>Pinus radiata</i> at establishment and at thinning—An evaluation of its potential in Australia	12–293
Crane, W.J.B. <i>see also</i> GRIFFIN, A.R.	
Crane, W.J.B. <i>see also</i> RAISON, R.J.	

	Vol-page
CRANSWICK, A.M.; ROOK, D.A.; ZABKIEWICZ, J.A. Seasonal changes in carbohydrate concentration and composition of different tissue types of <i>Pinus radiata</i> trees	17-229
CREMER, K.W.; BOROUGH, C.J.; MCKINNELL, F.H.; CARTER, P.R. Effects of stocking and thinning on wind damage in plantations	12-244
Cresswell, R.J. <i>see</i> de FOSSARD, R.A.	
Cristescu, V. <i>see</i> BENEA, V.	
CROMER, R.N.; BARR, N.J.; TOMPKINS, D. Response to fertiliser in a <i>Pinus radiata</i> plantation. 2: Accumulation and partitioning of nutrients	15-71
CROMER, R.N.; WHEELER, A.M.; BARR, N.J. Mineral nutrition and growth of <i>Eucalyptus</i> seedlings	14-229
CROMER, R.N.; BARR, N.J.; WILLIAMS, E.R.; McNAUGHT, A.M. Response to fertiliser in a <i>Pinus radiata</i> plantation. 1: Above-ground biomass and wood density	15-59
Cromer, R.N. <i>see also</i> GRIFFIN, A.R.	
CROSS, D.J. Penetration of methyl bromide into <i>Pinus radiata</i> wood and its significance for export quarantine	21-235
Crowe, J.B. <i>see</i> SUTTON, W.R.J.	
CSERJESI, A.J. Evolution of chlorinated phenols from solutions of a waterborne wood preservative (Timbor)	5-196
Cullen, A.W.J. <i>see</i> MASON, E.G.	
CUMMINS, N.H.O. Heartwood differentiation in <i>Pinus</i> species—A modified azo-dye test	2-188
Cunningham, R.B. <i>see</i> WINGATE-HILL, R.	

D

Daly, G.T. <i>see</i> WILKINSON, G.B.	
DARGAVEL, J.B. Evaluating the role of thinning in development forestry	6-242
Davenhill, N.A. <i>see</i> BALNEAVES, J.M.	
Davenhill, N.A. <i>see also</i> RICHARDSON, B.	
DAVIDSON, J. Grafting <i>Eucalyptus deglupta</i>	4-204
DAVIDSON, J. Reproduction of <i>Eucalyptus deglupta</i> by cuttings	4-191
DAVIDSON, M.M. Characteristics, liberation, and dispersal of sika deer (<i>Cervus nippon</i>) in New Zealand	3-153
DAVIDSON, M.M. Movement of marked sika (<i>Cervus nippon</i>) and red deer (<i>Cervus elaphus</i>) in central North Island, New Zealand	9-77
DAVIDSON, M.M. Season of parturition and fawning percentages of sika deer (<i>Cervus nippon</i>) in New Zealand	5-355

	<i>Vol–page</i>
DAVIS, M.R.; LANG, M.H. Increased nutrient availability in topsoils under conifers in the South Island high country	21–165
Davis, M.R. <i>see also</i> BELTON, M.C.	
DAVISON, E.M.; SHEARER, B.L. <i>Phytophthora</i> spp. in indigenous forests in Australia	19–277
de FOSSARD, R.A.; NITSCH, C.; CRESSWELL, R.J.; LEE, E.C.M. Tissue and organ culture of <i>Eucalyptus</i>	4–267
de la Mare, P.J. <i>see</i> BALNEAVES, J.M.	
de LITTLE, D.W. Paropsine chrysomelid attack on plantations of <i>Eucalyptus nitens</i> in Tasmania	19–223
DEADMAN, M.W.; GOULDING, C.J. A method for assessment of recoverable volume by log types	9–225
DICK, A.M.P. Control of Dothistroma needle blight in the <i>Pinus radiata</i> stands of Kinleith Forest	19–171
DICK, M.A. Leaf-inhabiting fungi of eucalypts in New Zealand	12–525
DICK, M.A. Leaf-inhabiting fungi of eucalypts in New Zealand. II	20–65
DICK, M.A. Blight of <i>Lupinus arboreus</i> in New Zealand	24–51
Dick, M.M. <i>see</i> FENTON, R.	
DIETERS, M.J.J.; WOOLASTON, R.R.; NIKLES, D.G. Internode length of hoop pine: Genetic parameters and prospects for developing a long-internode breed	20–138
DINER, A.M.; STRICKLER, A.; KARNOVSKY, D.F. Initiation, elongation, and remultiplication of <i>Larix decidua</i> micropropagules	16–306
DINGLEY, J.M.; GILMOUR, J.W. <i>Colletotrichum acutatum</i> Simmnds f.sp. <i>pineae</i> , associated with “terminal crook” disease of <i>Pinus</i> spp.	2–192
Dodd, R.S. <i>see</i> POWER, A.B.	
DONALDSON, L.A. Between-tree variation in lignin concentration in <i>Pinus radiata</i> tracheids with growth rate, stem eccentricity, site, and silvicultural treatment	16–118
DONALDSON, L.A. Critical assessment of interference microscopy as a technique for measuring lignin distribution in cell walls	15–349
DONALDSON, L.A. Longitudinal splitting of bark: A likely cause of “Type 3” resin pockets in <i>Pinus radiata</i>	13–125
DONALDSON, L.A. Variation in microfibril angle among three genetic groups of <i>Pinus radiata</i> trees	23–90
DONALDSON, L.A. Within- and between-tree variation in lignin concentration in the tracheid cell wall of <i>Pinus radiata</i>	15–361
DONALDSON, L.A. Within- and between-tree variation in microfibril angle in <i>Pinus radiata</i>	22–77

	Vol-page
DONALDSON, L.A. Wood anatomy of five exotic hardwoods grown in Western Samoa	14-305
DONALDSON, L.A.; BURDON, R.D. Clonal variation and repeatability of microfibril angle in <i>Pinus radiata</i>	25-164
DONALDSON, L.A.; EVANS, R.; COWN, D.J.; LAUSBERG, M.J.F. Clonal variation of wood density variables in <i>Pinus radiata</i>	25-175
DONG CHEN, X.; SLEEMAN, M. Assessment of the self-ignition conditions of forest litter deposit layer	23-243
DONS, A. Hydrology and sediment regime of three small land-use basins in the central North Island, New Zealand	17-161
Dourado, A.M. <i>see</i> RIMBAWANTO, A.	
Draper, D. <i>see</i> MEAD, D.J.	
DRYSDALE, J.A. Performances of unmodified and copper-modified alkylammonium-treated stakes in ground contact	13-354
DRYSDALE, J.A.; PRESTON, A.F. Laboratory screening trials with chemicals for the protection of green timber against fungi	12-457
Drysdale, J.A. <i>see also</i> BUTCHER, J.A.	
Du Burgess, F.F. <i>see</i> WOOLLONS, R.C.	
Dunlap, J.R. <i>see</i> RITCHIE, G.A.	
DUNSTAN, D.I.; MOHAMMED, G.H.; THORPE, T.A. Shoot production and elongation on explants from vegetative buds excised from 17- to 20-year-old <i>Pseudotsuga menziesii</i>	16-269
Dunstan, D.I. <i>see also</i> MOHAMMED, G.H.	
DURZAN, D.J.; CAMPBELL, R.A. Prospects for the introduction of traits in forest trees by cell and tissue culture	4-261
Dutch, J. <i>see</i> PROE, M.F.	
DYCK, W.J.; GOSZ, J.R.; HODGKISS, P.D. Nitrate losses from disturbed ecosystems in New Zealand—A comparative analysis	13-14
DYCK, W.J.; MEES, C.A.; HODGKISS, P.D. Nitrogen availability and comparison to uptake in two New Zealand <i>Pinus radiata</i> forests	17-338
DYCK, W.J.; WEBBER, B.D.; BARTON, P.G. Soil-water nutrient concentrations after clearfelling and burning of <i>Pinus radiata</i>	11-128
Dyck, W.J. <i>see also</i> COMERFORD, N.B.	
Dyck, W.J. <i>see also</i> SMITH, C.T.	
E	
EASTHAM, J.; ROSE, C.W.; CHARLES-EDWARDS, D.A.; CAMERON, D.M.; RANCE, S.J. Planting density effects of water use efficiency of trees and pasture in an agroforestry experiment	20-39

Edge, E.A. <i>see</i> JENKINS, P.A.	
Edwards, I.R. <i>see</i> ELLIOTT, G.S.	
Edwards, L.G. <i>see</i> WILKINSON, G.R.	
EDWARDS, W.R.N.; ROBERTSON, A.G. Water status and growth initiation in <i>Populus</i>	5-287
ELDRIDGE, K.G. Genetic improvements from a radiata pine seed orchard	12-404
ELLIOTT, D.A. Review of thinning practices in New Zealand 1974 to 1981	12-127
ELLIOTT, D.A. The influence of disease and insect problems on management practice in Kaingaroa Forest	6-188
ELLIOTT, D.A.; GOULDING, C. The Kaingaroa growth model for radiata pine and its implications for maximum volume production (Abstract)	6-187
ELLIOTT, G.S.; MASON, R.W.; FERRY, D.G.; EDWARDS, I.R. Dothistromin risk assessment for forestry workers	19-163
Elliott, H.J. <i>see</i> KILE, G.A.	
ELLIS, J.C. Use of X-rays in measuring ring widths from increment borings	1-223
ELLIS, J.C. Volume equations for the major indigenous species in New Zealand	8-267
ELLIS, J.C.; KIMBERLEY, M.O. Volume estimation of export pulplogs	25-123
ERICSSON, T. Nutrient dynamics and requirements of forest crops	24-133
ERIKSSON, H.M.; JÖNSSON, C. Four tree species and the calcium, magnesium, and potassium budgets of a Swedish forest site	24-415
Escamilla, J.A. <i>see</i> COMERFORD, N.B.	
Evans, R. <i>see</i> DONALDSON, L.A.	
F	
Fagg, P. <i>see</i> LEITCH, C.J.	
FAIRWEATHER, J.R.; SWAFFIELD, S.R. Preferences for land-use options involving forestry in the Mackenzie/Waitaki Basin	25-20
FARMER, R.E. Jr. Vegetative propagation and the genetic improvement of North American hardwoods	4-211
Faulds, T. <i>see</i> VAN DORSSER, J.C.	
FAULDS, W. A pathogenic fungus associated with <i>Platypus</i> attack on New Zealand <i>Nothofagus</i> species	7-384
FAULDS, W. Discolouration associated with <i>Platypus</i> wounds in living <i>Nothofagus fusca</i>	3-331
FAULDS, W. Improved techniques for the laboratory rearing of <i>Thanasimus formicarius</i>	18-187

	Vol–page
FAULDS, W. Introduction into New Zealand of <i>Bracon phylacteophagus</i> , a biocontrol agent of <i>Phylacteophaga froggatti</i> , eucalyptus leaf-mining sawfly	20–54
FAULDS, W. Offspring sex ratios of <i>Bracon phylacteophagus</i> as influenced by host size and maternal age	20–290
FAULDS, W. Spread of <i>Bracon phylacteophagus</i> , a biocontrol agent of <i>Phylacteophaga froggatti</i> , and impact on the host	21–185
FENTON, R. Douglas fir profitability	6–80
FENTON, R. Douglas fir profitability (Letter)	6–475
FENTON, R. Economics of radiata pine for sawlog production	2–313
FENTON, R. Economics of sawlog production which includes production thinning	2–348
FENTON, R. Implications of radiata pine afforestation studies	2–378
FENTON, R. Import costs and overseas earnings of sawlog and export log afforestation	2–369
FENTON, R. Profitability of second log pruning	3–313
FENTON, R. Pruning results from 2.44-, 4.27-, and 5.49-m pruned 19-year-old radiata pine	7–216
FENTON, R. Silviculture and management of <i>Pinus radiata</i> for framing timber production	1–60
FENTON, R. The economics of thinning	6–273
FENTON, R. Trans-Tasman forest products trade after a decade of NAFTA 1966–75	9–100
FENTON, R. Trans-Tasman trade in forest products in the first five years of Nafta	4–39
FENTON, R.; DICK, M.M. Import costs and overseas earnings of afforestation models for the export log trade	2–128
FENTON, R.; DICK, M.M. Profitability of “normal” afforestation for the overseas log trade on Site Indexes 95 and 110	2–289
FENTON, R.; DICK, M.M. Profitability of radiata pine afforestation for the export log trade—on Site Index 80	2–69
FENTON, R.; DICK, M.M. Profitability of radiata pine afforestation for the export log trade—on Site Index 110	2–100
FENTON, R.; DICK, M.M. Significance of the profit studies of afforestation for the export log trade	2–144
FENTON, R.; TENNENT, R.B. Export log afforestation profitability 1973	5–323
FENTON, R.; TUSTIN, J.R. Profitability of radiata pine afforestation for the export log trade—on Site Index 95	2–7

	<i>Vol-page</i>
FENTON, R.; SUTTON, W.R.J.; TUSTIN, J.R. Clearwood yields from tended 26-year-old second-crop radiata pine	1-140
FERGUSON, I.S.; LEECH, J.W. Stand dynamics and density in radiata pine plantations	6-443
Ferry, D.G. <i>see</i> ELLIOTT, G.S.	
FIBIGER, W.; HENDERSON, M. Physiological inputs to motor-manual techniques of thinning radiata pine	12-162
Fielding, J.M. <i>see</i> LIBBY, W.J.	
Firth, A. <i>see</i> RIMBAWANTO, A.	
Firth, A. <i>see also</i> WILCOX, M.D.	
FIRTH, J.; MURPHY, G. Skidtrails and their effect on the growth and management of young <i>Pinus radiata</i>	19-22
Fitzgerald, R.E. <i>see</i> KNIGHT, P.J.	
FLEWELLING, J.W. Ammonium uptake from dilute solutions by <i>Pinus radiata</i> seedlings	9-10
FLINN, D.W.; MOLLER, I.M.; HOPMANS, P. Sustained growth responses to superphosphate applied to established stands of <i>Pinus radiata</i>	9-201
FLORENCE, R.G.; LAMB, D. Influence of stand and site on radiata pine litter in South Australia	4-502
Florence, R.G. <i>see also</i> LAMB, D.	
FORREST, W.G. Profitability of thinning in radiata pine plantations	4-529
Forrest, W.G. <i>see also</i> SIEMON, G.R.	
Forrester, R.I. <i>see</i> MORAN, G.F.	
Foster, J.B. <i>see</i> HEDLEY, M.E.	
FOSTER, N.W.; MORRISON, I.K.; HAZLETT, P.W.; HOGAN, G.D.; SALERNO, M.I. Changes in nutrient procurement with age and site productivity in jack pine forest	24-169
Foster, N.W. <i>see also</i> MORRISON, I.K.	
Fountain, D.W. <i>see</i> BUTCHER, S.M.	
FOURET, Y.; ARNAUD, Y.; LARRIEU, C.; MIGINIAC, E. <i>Sequoia sempervirens</i> as an <i>in vitro</i> rejuvenation model	16-319
Foy, G.F. <i>see</i> HUNTER, I.R.	
Frampton, C.M. <i>see</i> CLINTON, P.W.	
FRANICH, R.A. Chemistry of weathering and solubilisation of copper fungicide, and the effect of copper on germination, growth, metabolism, and reproduction of <i>Dothistroma pini</i>	18-318

	Vol-page
FRANICH, R.A.; WELLS, L.G. Infection of <i>Pinus radiata</i> by <i>Dothistroma pini</i> : Effect of buffer capacity of needle homogenates	7-35
FRANICH, R.A.; KROESE, H.W.; JAKOBSSON, E.; JENSEN, S.; KYLIN, H. Trace constituents of natural and anthropogenic origin from New Zealand <i>Pinus radiata</i> needle epicuticular wax	23-101
Franich, R.A. <i>see also</i> LOMAX, T.D.	
FRANKLIN, D.A. Growth rates in south Westland terrace rimu forest. 1. Growing stock and increment in virgin forest	3-304
Franklin, D.A. <i>see</i> JAMES, I.L.	
Fraser, T. <i>see</i> TUSTIN, J.R.	
FREDERICK, D.J.; MADGWICK, H.A.I.; OLIVER, G.R. Wood basic density and moisture content of young <i>Eucalyptus regnans</i> grown in New Zealand	12-494
FREDERICK, D.J.; MADGWICK, H.A.I.; JURGENSEN, M.F.; OLIVER, G.R. Dry matter content and nutrient distribution in an age series of <i>Eucalyptus</i> <i>regnans</i> plantations in New Zealand	15-158
FREDERICK, D.J.; MADGWICK, H.A.I.; JURGENSEN, M.F.; OLIVER, G.R. Dry matter, energy, and nutrient contents of 8-year-old stands of <i>Eucalyptus</i> <i>regnans</i> , <i>Acacia dealbata</i> , and <i>Pinus radiata</i> in New Zealand	15-142
FREDERICK, D.J.; MADGWICK, H.A.I.; JURGENSEN, M.F.; OLIVER, G.R. Seasonal development of a young plantation of <i>Eucalyptus nitens</i>	16-78
FREDERICK, D.J.; MADGWICK, H.A.I.; OLIVER, G.R.; JURGENSEN, M.F. Dry matter and nutrient content of 8-year-old <i>Eucalyptus saligna</i> growing at Taheke Forest	15-251
Frederick, D.J. <i>see also</i> JURGENSEN, M.F.	
Frederick, D.J. <i>see also</i> MADGWICK, H.A.I.	
Fry, G. <i>see</i> ALBERT, D.J.	
FRY, G.; POOLE, B.R. Evaluation of planting stock quality several years after planting	10-299
FUNG, L.E. Wood properties of New Zealand-grown <i>Cunninghamia lanceolata</i>	23-324
FURUKOSHI, T. Is there an inverse correlation between sexual and asexual reproduction in <i>Cryptomeria japonica</i> ?	4-426
G	
GADGIL, P.D. Cyclaneusma (Naemacyclus) needle-cast of <i>Pinus radiata</i> in New Zealand. 1: Biology of <i>Cyclaneusma minus</i>	14-179
GADGIL, P.D. Duration of leaf wetness periods and infection of <i>Pinus radiata</i> by <i>Dothistroma pini</i>	7-83
GADGIL, P.D. Effect of temperature and leaf wetness period on infection of <i>Pinus radiata</i> in New Zealand	4-495

	<i>Vol-page</i>
GADGIL, P.D. Effect of waterlogging on mycorrhizas of radiata pine and Douglas fir	2–222
GADGIL, P.D. Mycological records. 4: <i>Vizella tunicata</i> sp. nov.	25–107
GADGIL, P.D. <i>Phytophthora heveae</i> , a pathogen of kauri	4–59
GADGIL, P.D.; BAWDEN, A.D. Infection of wounds in <i>Eucalyptus delegatensis</i>	11–262
GADGIL, P.D.; HOLDEN, G. Effect of light intensity on infection of <i>Pinus radiata</i> by <i>Dothistroma pini</i>	6–67
Gadgil, P.D. <i>see also</i> GADGIL, R.L.	
Gadgil, P.D. <i>see also</i> VAN DER PAS, J.B.	
GADGIL, R.L. Nitrogen distribution in stands of <i>Pinus radiata</i> with and without lupin in the understorey	6–33
GADGIL, R.L. The nutritional role of <i>Lupinus arboreus</i> in coastal sand dune forestry. 4. Nitrogen distribution in the ecosystem after tree planting	9–324
GADGIL, R.L.; GADGIL, P.D. Influence of clearfelling on decomposition of <i>Pinus radiata</i> litter	8–213
GADGIL, R.L.; GADGIL, P.D. Root invasion of <i>Pinus radiata</i> litter in trenched plots	17–329
GADGIL, R.L.; GADGIL, P.D. Suppression of litter decomposition by mycorrhizal roots of <i>Pinus radiata</i>	5–33
GADGIL, R.L.; SANDBERG, A.M.; ALLEN, P.J. Nutritional relationships between pampas (<i>Cortaderia</i> spp.) and <i>Pinus radiata</i>	22–3
GADGIL, R.L.; SANDBERG, A.M.; GRAHAM, J.D. <i>Lupinus arboreus</i> and inorganic fertiliser as sources of nitrogen for <i>Pinus radiata</i> on a coastal sand	14–257
GADGIL, R.L.; BARTON, P.G.; ALLEN, P.J.; SANDBERG, A.M. Growth of pampas grass (<i>Cortaderia</i> spp.) in New Zealand <i>Pinus radiata</i> forests	20–176
GADGIL, R.L.; CHARLTON, J.F.L.; SANDBERG, A.M.; ALLEN, P.J. Establishment of selected legumes in a mid-rotation <i>Pinus radiata</i> plantation	18–210
GADGIL, R.L.; KNIGHT, P.J.; SANDBERG, A.M.; ALLEN, P.J. Molybdenum, sulphur, and boron deficiencies in <i>Lupinus arboreus</i> at Pouto Forest	11–114
Gadgil, R.L. <i>see also</i> MEAD, D.J.	
Gallagher, S.S. <i>see</i> HUNTER, I.R.	
Gallagher, S.S. <i>see also</i> MADGWICK, H.A.I.	
GARBER, M.P.; MEXAL, J.G. Lift and storage practices: Their impact on successful establishment of southern pine plantations	10–72
GARCÍA, O. Growth models for even-aged stands: <i>Pinus radiata</i> in Golden Downs Forest, Nelson	14–65
GARCÍA, O. IFS, an interactive forest simulator for long range planning	11–8
GARCÍA, O. Letter to the Editor	18–236

	<i>Vol-page</i>
GARCÍA, O. Simplified method-of-moments estimation for the Weibull distribution	11-304
Gaskin, R.E. <i>see</i> BURDON, R.D.	
GEERTS, J.M.P. Mathematical solution for optimising the sawing pattern of a log given its dimensions and its defect core	14-124
Gibson, A.R. <i>see</i> HUNTER, I.R.	
GIFFORD, H.H. Simplified apparatus for determining leaf water potentials in pine needles	2-284
GIFFORD, H.H.; WHITEHEAD, D.; THOMAS, R.S.; JACKSON, D.S. Design of a new weighing lysimeter for measuring water use by individual trees	12-448
Gifford, H.H. <i>see also</i> JACKSON, D.S.	
Gilchrist, K.F. <i>see</i> LAUSBERG, M.J.F.	
Giles, K.L. <i>see</i> WHITEHEAD, H.C.M.	
GILMOUR, J.W.; NOORDERHAVEN, A. Control of <i>Dothistroma</i> needle blight by low volume aerial application of copper fungicides	3-120
GILMOUR, J.W.; NOORDERHAVEN, A. Influence of time of application of cuprous oxide on control of <i>Dothistroma</i> needle blight	1-160
Gilmour, J.W. <i>see</i> DINGLEY, J.M.	
GIROUARD, R.M. Propagation of spruce by stem cuttings	4-140
GLASS, B.P.; McKENZIE, H. Decay distribution in relation to pruning and growth stresses in plantation-grown <i>Eucalyptus regnans</i> grown in New Zealand	19-210
Glass, B.P. <i>see also</i> CAVANA, R.Y.	
Gleason, C.D. <i>see</i> SMALE, M.C.	
GLERUM, C. Electrical impedance techniques in physiological studies	10-196
GLERUM, C. Food sinks and food reserves of trees in temperate climates	10-176
GLERUM, C.; LAVENDER, D.P. Planting stock quality in the nursery	10-293
Goh, K.M. <i>see</i> PHILLIPS, M.J.	
GORDON, A.D. Comparison of compatible polynomial taper equations	13-146
GORDON, A.D. Estimating bark thickness of <i>Pinus radiata</i>	13-340
GORDON, A.D.; GRAHAM, J.D. Changes in <i>Pinus radiata</i> stem form in response to nitrogen and phosphorus fertiliser	16-41
GORDON, A.D.; LUNDGREN, C.; HAY, E. Development of a composite taper equation to predict over- and under-bark diameter and volume of <i>Eucalyptus saligna</i> in New Zealand	25-318
Gordon, A.D. <i>see also</i> SMALE, M.C.	
Gosnell, T.K. <i>see</i> SOMERVILLE, A.R.	

- Gosz, J.R. *see* DYCK, W.J.
- Goudie, K.A. *see* McQUIRE, A.J.
- GOULDING, C.J. Cubic spline curves and calculation of volume of sectionally measured trees 9–89
- GOULDING, C.J.; MURRAY, J.C. Polynomial taper equations that are compatible with tree volume equations 5–313
- Goulding, C.J. *see also* DEADMAN, M.W.
- Goulding, C.J. *see also* ELLIOTT, D.A.
- Grace, L.J. *see* CHU-CHOU, M.
- GRACE, J.C. Theoretical ratio between “one-sided” and total surface area for pine needles 17–292
- GRACE, J.C.; CARSON, M.J. Prediction of internode length in *Pinus radiata* stands 23–10
- GRACE, J.C.; MADGWICK, H.A.I. Sampling procedures for estimating forest biomass in the Puruki watershed 17–272
- GRACE, J.C.; CARSON, M.J.; CARSON, S.D. Climate change—Implications for *Pinus radiata* improvement 21–123
- GRACE, J.C.; JARVIS, P.G.; NORMAN, J.M. Modelling the interception of solar radiant energy in intensively managed stands 17–193
- Grace, J.C. *see also* MACLAREN, J.P.
- Graham, J.D. *see* GADGIL, R.L.
- Graham, J.D. *see also* GORDON, A.D.
- Graham, J.D. *see also* HUNTER, I.R.
- Graham, J.D. *see also* JACKSON, D.S.
- GRANT, D.J. Computermatic timber-grading machine—Laboratory evaluation of performance with respect to feed speed and the dynamic/static deflection relationship 16–187
- GRANT, D.J.; ANTON, A. Strength and stiffness of Australian-grown stress-graded *Pinus radiata* with cross-sections of 35 × 150 mm and 35 × 200 mm 14–135
- GRANT, D.J.; ANTON, A.; LIND, P. Bending strength, stiffness, and stress-grade of structural *Pinus radiata*: Effect of knots and timber density 14–331
- GRANT, R.K. Effective protection and comparative advantage in New Zealand’s forest enterprises: A comment 7–240
- GRANT, R.K. Local employment multipliers for the pulp and paper industry in New Zealand 6–122
- GRANT, R.K. Predicting the impact of silvicultural treatment on wood characteristics of *Pinus radiata* 8–277

	<i>Vol-page</i>
GRAYBURN, A. W. Kinleith thinning operations of N.Z. Forest Products Limited	6-214
GREEN, L.M.; WARRINGTON, I.J. Assessment of frost damage in radiata pine seedlings using the diffusate electroconductivity technique	8-344
Green, L.M. <i>see also</i> MENZIES, M.I.	
GREER, D.H. Electrical impedance and its relationship to frost hardness in <i>Pinus radiata</i>	13-80
GREER, D.H. Electrical impedance ratio technique for rapid assessment of frost damage in <i>Pinus radiata</i>	13-72
GRIFFIN, A.R.; CRANE, W.J.B.; CROMER, R.N. Irrigation and fertiliser effects on productivity of a <i>Pinus radiata</i> seed orchard. 1: Response to treatment of an established orchard	14-289
Griffiths, J. <i>see</i> PROE, M.F.	
GROZDITS, G.A.; CHANG, P.C. <i>Abies concolor</i> bark extractive yields as affected by process variables	14-240
GUEST, R.; WILKINSON, G.B. Forests and animals of the Hope catchment	7-123
Guest, R. <i>see also</i> MANSON, B.R.	
Guest, R. <i>see also</i> WARDLE, J.	
GÜNZERODT, H.; WALKER, J.C.F.; WHYBREW, K. Compression rolling and hot-water soaking: Effects on the drying and treatability of <i>Nothofagus fusca</i> heartwood	16-223
Guo, L.B. <i>see</i> BATHGATE, J.L.	
H	
HAISSIG, B.E. Influences of auxins and auxin synergists on adventitious root primordium initiation and development	4-311
HAISSIG, B.E. Metabolism during adventitious root primordium initiation and development	4-324
HAISSIG, B.E. Origins of adventitious roots	4-299
HALL, M.J. A plantation simulation model for <i>Pinus radiata</i> (Abstract)	6-332
Hall, M.F. <i>see</i> KILE, G.A.	
Hamilton, K.A. <i>see</i> KIBBLEWHITE, R.P.	
Hardacre, A.K. <i>see</i> MENZIES, M.I.	
Harkness, D.D. <i>see</i> HARRISON, A.F.	
HARRIS, J.M. Non-destructive assessment of spiral grain in standing trees	14-395
HARRIS, J.M. Physical properties, resin content, and tracheid length of lodgepole pine grown in New Zealand	3-91
HARRIS, J.M. Shrinkage and density of radiata pine compression wood in relation to its anatomy and mode of formation	7-91

	<i>Vol-page</i>
HARRIS, J.M. Spiral grain and xylem polarity in radiata pine: Microscopy of cambial reorientation	3–363
HARRIS, J.M.; BARNETT, J.R. Differentiated callus nodules in resin pockets of <i>Pinus ponderosa</i> (Laws)	5–226
HARRIS, J.M.; McCONCHIE, D.L. Wood properties of <i>Pinus radiata</i> infected with <i>Dothistroma pini</i>	8–410
HARRIS, J.M.; JAMES, R.N.; COLLINS, M.J. Case for improving wood density in radiata pine	5–347
HARRIS, J.M.; McCONCHIE, D.L.; POVEY, W.A. Wood properties of clonal radiata pine grown in soils with different levels of available nitrogen, phosphorus, and water	8–417
Harris, J.M. <i>see also</i> BURDON, R.D.	
Harris, J.M. <i>see also</i> SUTTON, W.R.J.	
Harris, J.M. <i>see also</i> SWEET, G.B.	
HARRISON, A.F.; HARKNESS, D.D. Potential for estimating carbon fluxes in forest soils using ¹⁴ C techniques	23–367
Hartney, V.J. <i>see</i> WOLF, L.J.	
HASLETT, A.N. Drying properties of New Zealand-grown <i>Acacia melanoxylon</i>	13–130
HASLETT, A.N.; KININMONTH, J.A. Pretreatments to hasten the drying of <i>Nothofagus fusca</i>	16–237
HASLETT, A.N.; SIMPSON, I.G.; KIMBERLEY, M.O. Utilisation of 25-year-old <i>Pinus radiata</i> . Part 2: Warp of structural timber in drying	21–228
HASLETT, A.N.; WILLIAMS, D.H.; KININMONTH, J.A. Drying of major cypress species grown in New Zealand	15–370
HATHAWAY, R.L. Early growth of <i>Salix matsudana</i> × <i>alba</i> hybrids	7–207
HATHAWAY, R.L.; KING, M. Selection of <i>Eucalyptus</i> species for soil conservation planting in seasonally dry hill country	16–142
Havel, J.J. <i>see</i> BUTCHER, T.B.	
Havranek, W.M. <i>see</i> SWANSON, R.H.	
HAWKE, M.F.; O'CONNOR, M.B. Soil pH and nutrient levels at Tikitere Agroforestry Research Area	23–40
Hawkins, P.J. <i>see</i> BACON, G.J.	
Hay, E. <i>see</i> GORDON, A.	
Hay, E. <i>see also</i> NICHOLAS, I.	
Hayward, J. <i>see</i> WARDLE, J.	
HAYWARD, W.J. Volume and taper of <i>Eucalyptus regnans</i> grown in the central North Island of New Zealand	17–109

Hayward, W.J. <i>see also</i> WOOLLONS, R.C.	
HAZARD, J.W. Letter to the Editor	14-254
Hazlett, P.W. <i>see</i> FOSTER, N.W.	
Hazlett, P.W. <i>see also</i> MORRISON, I.K.	
HEATHER, W.A. Disease as a consideration in the thinning of coniferous forests	6-182
HEDLEY, M.E. Preservative requirements for exterior particleboard predicted from accelerated laboratory tests	6-455
HEDLEY, M.E.; FOSTER, J.B. Modified soil/block technique for assessing wood decay	2-237
HELLAWELL, C.R. Laminated or solid New Zealand Douglas fir scaffold planks and the Standard specification for them	2-249
HELLMERS, H.; ROOK, D.A. Air temperature and growth of radiata pine seedlings	3-271
Hellmers, H. <i>see also</i> JENKINS, P.A.	
Henderson, M. <i>see</i> FIBIGER, W.	
Henry, C.L. <i>see</i> ZABOWSKI, D.	
Hepworth, G. <i>see</i> MINKO, G.	
HERBERT, J. Growth of silver beech in northern Fiordland	3-137
Herbert, J. <i>see also</i> WARDLE, J.	
Herrington, P.A. <i>see</i> BALL, G.F.A.	
HETH, D. Root and shoot water potentials in stressed pine seedlings	10-142
Hewitt, J.E. <i>see</i> COOPER, A.B.	
Hobbs, I.W. <i>see</i> JACKSON, D.S.	
Hobbs, J.F.F. <i>see</i> ROOK, D.A.	
Hobbs, J.F.F. <i>see also</i> WHITEHEAD, D.	
HÖCK, B.F.; PAYN, T.W.; SHIRLEY, J.W. Using a Geographic Information System and geostatistics to estimate site index of <i>Pinus radiata</i> for Kaingaroa Forest, New Zealand	23-264
Hodder, R.A.C. <i>see</i> BATCHELER, C.L.	
Hodgkiss, P.D. <i>see</i> DYCK, W.J.	
Hodgkiss, P.D. <i>see also</i> WILL, G.M.	
Hogan, G.D. <i>see</i> FOSTER, N.W.	
Holden, G. <i>see</i> GADGIL, P.D.	
HOLDEN, D.G.; KLOMP, B.K.; HONG, S.O.; MENZIES, M.I. Growth and predicted timber value of <i>Pinus radiata</i> cuttings and seedlings on a fertile farm site	25-283

	<i>Vol-page</i>
Holden D.G. <i>see also</i> MENZIES, M.I.	
HOLLINGER, D.Y.; MACLAREN, J.P.; BEETS, P.N.; TURLAND, J. Carbon sequestration by New Zealand's plantation forests	23-194
Holten-Anderson, P. <i>see</i> MADGWICK, H.A.I.	
HOLZER, K. The use of cuttings of Norway spruce (<i>Picea abies</i> (L.) Karsten) in phenological research	4-433
HONG, S.O. Rooting of brachyblast cuttings of pines in Korea	4-150
Hong, S.O. <i>see also</i> BALNEAVES, J.M.	
Hong, S.O. <i>see also</i> HOLDEN, D.G.	
Hong, S.O. <i>see also</i> KLOMP, B.K.	
Hong, S.O. <i>see also</i> KOH, D.S.	
Hong, S.O. <i>see also</i> ROOK, D.A.	
Hong, S.O. <i>see also</i> SWEET, G.B.	
HOOD, I.A. Armillaria root disease in New Zealand forests	19-180
HOOD, I.A. Inoculation experiments with <i>Phaeocryptopus gaeumannii</i> on Douglas fir seedlings	7-77
HOOD, I.A. <i>Phaeocryptopus gaeumannii</i> on <i>Pseudotsuga menziesii</i> in southern British Columbia	12-415
HOOD, I.A.; BELL, T.I.W. Inoculation of <i>Pinus caribaea</i> var. <i>hondurensis</i> seedlings with <i>Ganoderma lucidum</i> in Fiji	13-53
HOOD, I.A.; KERSHAW, D.J. Distribution and infection period of <i>Phaeocryptopus gaeumannii</i> in New Zealand	5-201
HOOD, I.A.; SANDBERG, C.J. <i>Armillaria</i> populations in a <i>Pinus radiata</i> plantation on a former indigenous rainforest site	23-62
HOOD, I.A.; SANDBERG, C.J. Changes within tree crowns following thinning of young Douglas fir infected by <i>Phaeocryptopus gaeumannii</i>	9-177
HOOD, I.A.; SANDBERG, C.J. Occurrence of <i>Armillaria</i> rhizomorph populations in the soil beneath indigenous forests in the Bay of Plenty, New Zealand	17-83
HOOD, I.A.; VAN DER PAS, J.B. Fungicidal control of <i>Phaeocryptopus gaeumannii</i> in a 19-year-old Douglas fir stand	9-272
HOOD, I.A.; VANNER, A.L. <i>Cyclaneusma</i> (<i>Naemacyclus</i>) needle-cast of <i>Pinus radiata</i> in New Zealand. 4: Chemical control research	14-215
Hood, I.A. <i>see also</i> SHAW, C.G. III	
HOOK, D.D.; KORMANIK, P.P.; McALPINE, R.G. Sprouting and rooting on horizontally planted cuttings of sycamore	4-221
Hopmans, P. <i>see</i> FLINN, D.W.	
HORGAN, G.P. Market requirements for <i>Pinus radiata</i> clearwood: Implications of length specifications	21-77

	<i>Vol-page</i>
Horgan, G.P. <i>see also</i> VAN DER PAS, J.B.	
HOSKING, G.P. <i>Arhopalus fesus</i> , the influence of subcortical temperature on development and growth	7–137
HOSKING, G.P. Beech forest health—Implications for management	19–290
HOSKING, G.P. Pine wilt nematode: An example of active risk assessment	19–335
HOSKING, G.P. <i>Xyleborus saxeseni</i> , its life history and flight behaviour in New Zealand	3–37
HOSKING, G.P.; BAIN, J. <i>Arhopalus fesus</i> (Coleoptera : Cerambycidae); Its biology in New Zealand	7–3
HOSKING, G.P.; HUTCHESON, J.A. Lepidopterous defoliators in a developing <i>Pinus radiata</i> stand	17–331
HOSKING, G.P.; HUTCHESON, J.A. Nutritional basis for feeding zone preference of <i>Arhopalus fesus</i> (Coleoptera : Cerambycidae)	9–185
HOSKING, G.P.; HUTCHESON, J.A. Pohutukawa (<i>Metrosideros excelsa</i>) health and phenology in relation to possums (<i>Trichosurus vulpecula</i>) and other damaging agents	23–49
HOSKING, G.P.; HUTCHESON, J.A.; WALSH, P.J. Dynamics of small mountain beech stands in an exposed environment	23–142
HOSKING, M.R. The influence of silvicultural regimes on national and regional wood supply planning	6–266
HUBER, A.; PEREDO, H.L. Stem sunscald after thinning and pruning young <i>Pinus radiata</i> in the sandy soil region of Chile	18–9
Huhtinen, O. <i>see</i> SIMOLA, L.K.	
HUNTER, I.R.; FOY, G.F. Growth and nutrition of <i>Pinus radiata</i> on a recent coastal sand as affected by nitrogen fertiliser	13–3
HUNTER, I.R.; GIBSON, A.R. Predicting <i>Pinus radiata</i> site index from environmental variables	14–53
HUNTER, I.R.; GRAHAM, J.D. Growth response of phosphorus-deficient <i>Pinus radiata</i> to various rates of superphosphate fertiliser	12–49
HUNTER, I.R.; GRAHAM, J.D. Three-year response of <i>Pinus radiata</i> to several types and rates of phosphorus fertiliser on soils of contrasting phosphorus retention	13–229
HUNTER, I.R.; HUNTER, J.A.C. Apparent phosphorus uptake and change in nitrogen content of <i>Pinus radiata</i> growing on soils of different phosphorus retention, treated with superphosphate and A-grade rock phosphate	21–50
HUNTER, I.R.; HUNTER, J.A.C.; GRAHAM, J.D. <i>Pinus radiata</i> stem volume increment and its relationship to needle mass, foliar and soil nutrients, and fertiliser inputs	17–67

	<i>Vol-page</i>
HUNTER, I.R.; NICHOLSON, G.M.; THORN, A.J. Chemical analysis of pine litter: An alternative to foliage analysis?	15-101
HUNTER, I.R.; GRAHAM, J.D.; GALLAGHER, S.S.; CALVERT, K.T. Long-term foliar phosphorus response of <i>Pinus radiata</i> to superphosphate fertiliser	15-89
HUNTER, I.R.; GRAHAM, J.D.; PRINCE, J.M.; NICHOLSON, G.M. What site factors determine the 4-year basal area response of <i>Pinus radiata</i> to nitrogen fertiliser?	16-30
HUNTER, I.R.; PRINCE, J.M.; GRAHAM, J.D.; NICHOLSON, G.M. Growth and nutrition of <i>Pinus radiata</i> on rhyolitic tephra as affected by magnesium fertiliser	16-152
Hunter, I.R. <i>see also</i> CAREY, M.L.	
Hunter, I.R. <i>see also</i> PAYN, T.W.	
Hunter, J.A.C. <i>see</i> HUNTER, I.R.	
Hutcheson, J.A. <i>see</i> HOSKING, G.P.	
HUTCHINSON, C.I.; CHONG, S.L.; McLAUGHLAN, J.M. Bonding of radiata pine veneers treated with CCA preservatives by the momentary immersion method	7-113
Hutchison, J.D. <i>see</i> COWN, D.J.	
I	
Inglis, C.S. <i>see</i> CARSON, M.J.	
J	
Jacks, H. <i>see</i> KNIGHT, P.J.	
JACKSON, D.S.; CHITTENDEN, J. Estimation of dry matter in <i>Pinus radiata</i> root systems. 1. Individual trees	11-164
JACKSON, D.S.; GIFFORD, H.H. Environmental variables influencing the increment of radiata pine. (1) Periodic volume increment	4-3
JACKSON, D.S.; GIFFORD, H.H.; CHITTENDEN, J. Environmental variables influencing the growth of radiata pine: (2) Effects of seasonal drought on height and diameter increment	5-265
JACKSON, D.S.; GIFFORD, H.H.; GRAHAM, J.D. Lupin, fertiliser, and thinning effects on early productivity of <i>Pinus radiata</i> growing on deep Pinaki sands	13-159
JACKSON, D.S.; GIFFORD, H.H.; HOBBS, I.W. Daily transpiration rates of radiata pine	3-70
JACKSON, D.S.; JACKSON, E.A.; GIFFORD, H.H. Soil water in deep Pinaki sands: Some interactions with thinned and fertilised <i>Pinus radiata</i>	13-183
Jackson, D.S. <i>see also</i> GIFFORD, H.H.	

- Jackson, D.S. *see also* MADGWICK, H.A.I.
- Jackson, E.A. *see* JACKSON, D.S.
- Jackson, A.K.H. *see* WARRINGTON, I.J.
- Jakobsen, B.F. *see* WINGATE-HILL, R.
- Jakobsson, E. *see* FRANICH, R.A.
- JAMES, I.L.; FRANKLIN, D.A. Preliminary results of the effects of selection management of terrace rimu forest 7-349
- JAMES, I.L.; FRANKLIN, D.A. Recruitment, growth, and survival of rimu seedlings in selectively logged terrace rimu forest 8-207
- James, I.L. *see also* MEAD, D.J.
- James, I.L. *see also* SIX DIJKSTRA, H.G.
- JAMES, R.N. Implications for silviculture from the Tarawera Valley regimes trial 6-171
- James, R.N. *see also* HARRIS, J.M.
- JAMES, T.I.; WALKER, J.R.L. Biodegradability of wastewaters from a medium-density fibreboard mill 23-110
- Jarvis, P.G. *see* GRACE, J.C.
- JENKINS, P.A. Seasonal trends in translocation of ^{14}C photosynthate and their association with wood formation in radiata pine seedlings 5-62
- JENKINS, P.A.; SHEPHERD, K.R. Seasonal changes in levels of indole-acetic acid and abscisic acid in stem tissues of *Pinus radiata* 4-511
- JENKINS, P.A.; HELLMERS, H.; EDGE, E.A.; ROOK, D.A.; BURDON, R.D. Influence of photoperiod on growth and wood formation of *Pinus radiata* 7-172
- Jensen, S. *see* FRANICH, R.A.
- JOHN, A.; PEARSON, D.L. Induction of vitrification in *Picea sitchensis* cultures 16-328
- JOHNSON, D.W. Carbon in forest soils—Research needs 23-354
- JOHNSON, I.G. General and specific combining ability in families of *Pinus radiata* in New South Wales, Australia 20-3
- Jokela, E.J. *see* BEETS, P.N.
- Jones, A.E. *see* SWENEY, W.J.
- Jönsson, C. *see* ERIKSSON, H.M.
- JURGENSEN, M.F.; FREDERICK, D.J.; MADGWICK, H.A.I.; OLIVER, G.R. Soil development under *Pinus radiata* and *Eucalyptus regnans* plantations 16-69
- Jurgensen, M.F. *see also* FREDERICK, D.J.

K

- Kalafatis, S.P. *see* COOPER, R.J.

Karnovsky, D.F. <i>see</i> DINER, A.M.	
KAY, M. Foliage biomass of Douglas fir in a 53-year-old plantation	8–315
KAY, M. Resistance of Douglas fir to <i>Pseudocoremia suavis</i>	13–46
Kay, M. <i>see also</i> ZHANG, X.	
Keey, R.B. <i>see</i> CARRINGTON, A.M.	
Keey, R.B. <i>see also</i> SHUSHENG, P.	
KELLY, J.M.; CHAPPELKA, A.H.; LOCKABY, B.G. Measured and estimated parameters for a model of nutrient uptake by trees	24–213
KERR, A.J. Ash, silica, and lignin in New Zealand beech	6–108
KERR, A.J.; SWANN, D.A. Effects of tree age on kraft pulping of <i>Pinus radiata</i>	10–577
KERRUISH, C.M. Thinning techniques applicable to <i>Pinus radiata</i> plantations	6–200
KERRUISH, C.M.; MOORE, G.A. Potential harvesting systems for row thinning of plantations for pulpwood	12–344
KERRUISH, C.M.; SHEPHERD, K.R. Thinning practices in Australia—A review of silvicultural and harvesting trends	12–140
KERSHAW, D.J. History of forest health surveillance in New Zealand	19–375
Kershaw, D.J. <i>see also</i> HOOD, I.A.	
Kershaw, D.J. <i>see also</i> VAN DER PAS, J.B.	
Khanna, P.K. <i>see</i> RAISON, R.J.	
KIANG, Y.T.; ROGERS, O.M.; PIKE, R.B. Vegetative propagation of eastern white pine by cuttings	4–153
KIBBLEWHITE, R.P. Effects of beating and wood quality on radiata pine kraft paper properties	3–220
KIBBLEWHITE, R.P. Effects of beating, beaters, and wood quality on wet web strength	5–110
KIBBLEWHITE, R.P. Fibre and fibre network behaviour in strained wet webs	4–552
KIBBLEWHITE, R.P. <i>Pinus radiata</i> wood residue qualities and some utilisation options	14–382
KIBBLEWHITE, R.P. Production of papers with high tensile and low stretch properties	6–466
KIBBLEWHITE, R.P. Pulp blends of beaten and unbeaten fibre: Effects on paper properties, and possible commercial implications	7–250
KIBBLEWHITE, R.P. Radiata pine corewood and slabwood, and their interrelations with pulp and handsheet properties	10–533
KIBBLEWHITE, R.P.; BAWDEN, A.D. Kraft fibre qualities of <i>Pinus radiata</i> toplogs, thinnings, and slabwood, and a “genetic misfit”	22–96
KIBBLEWHITE, R.P.; BROOKES, D. Fibre, beating, and papermaking properties of kraft pulps from New Zealand beech species (<i>Nothofagus</i>)	7–425

	<i>Vol–page</i>
KIBBLEWHITE, R.P.; HAMILTON, K.A. Fibre cross-section dimensions of undried and dried <i>Pinus radiata</i> kraft pulps	14–319
Kibblewhite, R.P. <i>see also</i> COWN, D.J.	
KILE, G.A.; HALL, M.F. Assessment of <i>Platypus subgranosus</i> as a vector of <i>Chalara australis</i> , causal agent of a vascular disease of <i>Nothofagus cunninghamii</i>	18–166
KILE, G.A.; PACKHAM, J.M.; ELLIOTT, H.J. Myrtle wilt and its possible management in association with human disturbance of rainforest in Tasmania	19–256
Kimberley, M.O. <i>see</i> BERGIN, D.O.	
Kimberley, M.O. <i>see also</i> COWN, D.J.	
Kimberley, M.O. <i>see also</i> ELLIS, J.C.	
Kimberley, M.O. <i>see also</i> HASLETT, A.N.	
Kimberley, M.O. <i>see also</i> MACLAREN, J.P.	
Kimberley, M.O. <i>see also</i> SMALE, M.C.	
Kimberley, M.O. <i>see also</i> SVENSON, G.A.	
Kimberley, M.O. <i>see also</i> VAN DER PAS, J.B.	
KING, J.N.; WILCOX, M.D. Family tests as a basis for the genetic improvement of <i>Eucalyptus nitens</i> in New Zealand	18–253
KING, J.N.; BURDON, R.D.; WILCOX, M.D. Provenance variation in New Zealand-grown <i>Eucalyptus delegatensis</i> . 1: Growth rates and form	23–298
KING, J.N.; BURDON, R.D.; YOUNG, G.D. Provenance variation in New Zealand-grown <i>Eucalyptus delegatensis</i> . 2: Internal checking and other wood properties	23–314
King, M. <i>see</i> HATHAWAY, R.L.	
Kingston, D.G.O. <i>see</i> MAHENDRAPP, M.K.	
KININMONTH, J.A. Effect of steaming on the fine structure of <i>Nothofagus fusca</i>	1–129
KININMONTH, J.A. Effect of timber drying temperature on subsequent moisture and dimensional changes	6–101
Kininmonth, J.A. <i>see also</i> BOOKER, R.E.	
Kininmonth, J.A. <i>see also</i> HASLETT, A.N.	
Kirby, E.G. <i>see</i> LEE, M.S.	
KIRKLAND, A. Review of New Zealand thinning practices	6–1
KLEINSCHMIT, J. A programme for large-scale cutting propagation of Norway spruce	4–359
KLOMP, B.K.; HONG, S.O. Performance of <i>Pinus radiata</i> seedlings and cuttings to age 15 years	15–281
Klomp, B.K. <i>see also</i> HOLDEN, D.G.	

	<i>Vol-page</i>
KNIGHT, P.J. Copper deficiency in <i>Pinus radiata</i> in a seed nursery	5-209
KNIGHT, P.J. Fertiliser practice in New Zealand forest nurseries	8-27
KNIGHT, P.J. Foliar concentrations of ten mineral nutrients in nine <i>Pinus radiata</i> clones during a 15-month period	8-351
KNIGHT, P.J. Seasonal fluctuations in foliar nutrient concentrations in a young nitrogen-deficient stand of <i>Eucalyptus fastigata</i> with and without applied nitrogen	18-15
KNIGHT, P.J. The nutrient content of <i>Pinus radiata</i> seedlings	8-54
KNIGHT, P.J. Zinc deficiency in nursery-grown <i>Pinus radiata</i> seedlings	5-260
KNIGHT, P.J.; WILL, G.M. A field lysimeter to study water movement and nutrient content in a pumice soil under <i>Pinus radiata</i> forest. II. Deep seepage and nutrient leaching in the first 12 years of tree growth	7-274
KNIGHT, P.J.; WILL, G.M. Pot trial evaluation and comparison of six potential sources of phosphate for forestry	1-22
KNIGHT, P.J.; JACKS, H.; FITZGERALD, R.E. Longevity of response in <i>Pinus radiata</i> foliar concentrations to nitrogen, phosphorus, and boron fertilisers	13-305
Knight, P.J. <i>see also</i> GADGIL, R.L.	
Knight, P.J. <i>see also</i> MADGWICK, H.A.I.	
KNOWLES, R.L.; TAHAU, F. A repellent to protect radiata pine seedlings from browsing by sheep	9-3
Knowles, R.L. <i>see also</i> MACLAREN, J.P.	
Kochhar, V.K. <i>see</i> NANDA, K.K.	
KOH, D.S.; MENZIES, M.I.; HONG, S.O. Strangulation pre-treatment effect on the development and rooting of fascicle cuttings of <i>Pinus radiata</i>	20-129
KONAR, R.N.; NAGMANI, R. Tissue culture as a method for vegetative propagation of forest trees	4-279
KORMANIK, P.P.; BROWN, C.L. Vegetative propagation of some selected hardwood forest species in the Southeastern United States	4-228
Kormanik, P.P. <i>see</i> HOOK, D.D.	
Kroese, H.W. <i>see</i> FRANICH, R.A.	
Kroese, H.W. <i>see also</i> LOMAX, T.D.	
Kumar, P. <i>see</i> NANDA, K.K.	
Kylin, H. <i>see</i> FRANICH, R.A.	
L	
LAMB, D.; FLORENCE, R.G. Influence of soil type on the nitrogen and phosphorus content of radiata pine litter	5-143

- Lamb, D. *see also* FLORENCE, R.G.
- LAMBERT, M.J.; TURNER, J. Dieback in high site quality *Pinus radiata* stands—The role of sulphur and boron deficiencies 7–333
- Lambert, M.J. *see also* TURNER, J.
- Landsberg, J. *see* WYLIE, F.R.
- Lane, P.M. *see* BEETS, P.N.
- Lang, M.H. *see* DAVIS, M.R.
- Langrish, T.A.G. *see* SHUSHENG, P.
- Larrieu, C. *see* FOURET, Y.
- LAUSBERG, M.J.F.; GILCHRIST, K.F.; SKIPWITH, J.H. Wood properties of *Eucalyptus nitens* grown in New Zealand 25–147
- LAUSBERG, M.J.F.; COWN, D.J.; McCONCHIE, D.L.; SKIPWITH, J.H. Variation in some wood properties of *Pseudotsuga menziesii* provenances grown in New Zealand 25–133
- LAUSBERG, M.J.F.; COWN, D.J.; GILCHRIST, K.F.; SKIPWITH, J.H.; TRELOAR, C.R. Physiological ageing and site effects on wood properties of *Pinus radiata* 25–189
- Lausberg, M.J.F. *see also* DONALDSON, L.A.
- Lausberg, M.J.F. *see also* TIAN, X.
- Lavender, D.P. *see* GLERUM, C.
- Lavender, D.P. *see also* ZAERR, J.B.
- Lavery, P.B. *see* SHEEHAN, P.G.
- Leamy, M.L. *see* MEW, G.
- Leathwick, J.R. *see* WHITEHEAD, D.
- LEDGARD, N.J.; BELTON, M.C. Exotic trees in the Canterbury high country 15–298
- Lee, E.C.M. *see de* FOSSARD, R.A.
- LEE, M.S.; KIRBY, E.G. Growth parameters of cell suspension cultures of *Pseudotsuga menziesii* and effects of nitrogen sources on growth 16–369
- Leech, J.W. *see* FERGUSON, I.S.
- LEITCH, C.J.; FAGG, P. Clopyralid herbicide residues in streamwater after aerial spraying of a *Pinus radiata* plantation 15–195
- LEITCH, C.J.; MOORE, G.B. Thinning of radiata pine by crawler tractor on steep slopes in north-eastern Victoria: A preliminary study 12–213
- Leonard, J.H. *see* NEARY, D.J.
- LEPISTÖ, M. Successful propagation by cuttings of *Picea abies* in Finland 4–367

	<i>Vol-page</i>
LEVETT, M.P.; ADAMS, J.A.; WALKER, T.W.; WILSON, E.R.L. Weight and nutrient content of above-ground biomass and litter of a podocarp-hardwood forest in Westland, New Zealand	15-23
LIBBY, W.J. Guest Editorial	22-117
LIBBY, W.J. Summary statement of the 1973 vegetative propagation meeting in Rotorua, New Zealand	4-454
LIBBY, W.J. The use of vegetative propagules in forest genetics and tree improvement	4-440
LIBBY, W.J.; BROWN, A.G.; FIELDING, J.M. Effects of hedging radiata pine on production, rooting, and early growth of cuttings	2-163
LILL, B.S.; SWEET, G.B. Pollination in <i>Pinus radiata</i>	7-21
Lill, R.E. <i>see</i> WAID, J.S.	
Lind, P. <i>see</i> GRANT, D.J.	
LINDER, S. Chlorophyll as an indicator of nitrogen status of coniferous seedlings	10-166
LITCHWARK, H.S. Insect and fungal defects in red and silver beech	8-259
LLOYD, J.A. Distribution of extractives in <i>Pinus radiata</i> earlywood and latewood	8-288
LLOYD, J.A.; STRATTON, L. Kraft pulping properties of New Zealand-grown <i>Picea abies</i> and <i>Picea sitchensis</i>	14-404
Lloyd, J.A. <i>see also</i> UPRICHARD, J.M.	
Lockaby, B.G. <i>see</i> KELLY, J.M.	
LOMAX, T.D.; FRANICH, R.A.; KROESE, H. Pyrolysis products of <i>Pinus radiata</i> bark	21-111
Long, A.J. <i>see</i> RITCHIE, G.A.	
Low, C.B. <i>see</i> BURDON, R.D.	
Low, C.B. <i>see also</i> SHELBOURNE, C.J.A.	
Lowe, A.T. <i>see</i> SMITH, C.T.	
Lundgren, C. <i>see</i> GORDON, A.	
 M	
MACINTOSH, J.D.; BUNN, E.H. Current research into radiata pine thinning operations in New Zealand	6-228
MACKAY, J.F.G. Longitudinal flow and sap displacement in green sapwood stems	1-167
MacKENZIE, M. Infection changes and volume loss in a 19-year-old <i>Pinus radiata</i> stand affected by <i>Armillaria</i> root rot	17-100
MacKenzie, M. <i>see also</i> SELF, N.M.	
MacKenzie, M. <i>see also</i> SHAW, C.G. III	

	<i>Vol-page</i>
MACLAREN, J.P. Appropriate age for selection of final-crop <i>Pinus radiata</i>	25–91
MACLAREN, J.P.; KIMBERLEY, M.O. Varying selection ratios (initial versus final crop stocking) in <i>Pinus radiata</i> evaluated with the use of MARVL	21–62
MACLAREN, J.P.; GRACE, J.C.; KIMBERLEY, M.O.; KNOWLES, R.L.; WEST, G.G. Height growth of <i>Pinus radiata</i> as affected by stocking	25–73
Maclaren, J.P. <i>see also</i> HOLLINGER, D.Y.	
MADGWICK, H.A.I. Above-ground dry-matter content of a young close-spaced <i>Pinus radiata</i> stand	11–203
MADGWICK, H.A.I. Above-ground weights of forest plots—Comparison of seven methods of estimation	13–100
MADGWICK, H.A.I. Differences in growth and weight of genotypes of pine with special reference to clones of <i>Pinus radiata</i>	13–115
MADGWICK, H.A.I. Dry matter and nutrient relationships in stands of <i>Pinus radiata</i>	15–324
MADGWICK, H.A.I. Estimating stand weight—The importance of sample selection	21–180
MADGWICK, H.A.I. Estimating the above-ground weight of forest plots using the basal area ratio method	11–278
MADGWICK, H.A.I. Estimation of the oven-dry weight of stems, needles, and branches of individual <i>Pinus radiata</i> trees	13–108
MADGWICK, H.A.I. Foliage and growth distribution within crowns of <i>Pinus radiata</i> : Changes with age in a close-spaced stand	23–84
MADGWICK, H.A.I. Seasonal changes in the biomass of a young <i>Pinus radiata</i> stand	13–25
MADGWICK, H.A.I.; FREDERICK, D.J. Nutrient concentrations within stems of <i>Pinus radiata</i>	18–221
MADGWICK, H.A.I.; JACKSON, D.S. Estimating crown weights of <i>Pinus radiata</i> from branch variables	4–520
MADGWICK, H.A.I.; MEAD, D.J. Variation in nutrient concentrations within <i>Pinus radiata</i> trees and their relationship to tree size	20–29
MADGWICK, H.A.I.; OLIVER, G.R. Dry matter content and production of close-spaced <i>Pinus radiata</i>	15–135
MADGWICK, H.A.I.; BEETS, P.; GALLAGHER, S. Dry matter accumulation, nutrient and energy content of the above ground portion of 4-year-old stands of <i>Eucalyptus nitens</i> and <i>E. fastigata</i>	11–53
MADGWICK, H.A.I.; JACKSON, D.S.; KNIGHT, P.J. Above-ground dry matter, energy, and nutrient content of trees in an age series of <i>Pinus radiata</i> plantations	7–445

	Vol-page
MADGWICK, H.A.I.; OLIVER, G.R.; HOLTEN-ANDERSON, P. Above-ground biomass, nutrients, and energy content of trees in a second-growth stand of <i>Agathis australis</i>	12-3
MADGWICK, H.A.I.; OLIVER, G.R.; SIMS, A.T. Boron, copper, manganese, and zinc in stemwood of <i>Pinus radiata</i>	18-226
MADGWICK, H.A.I.; SIMS, A.T.; OLIVER, G.R. Nutrient content and uptake of close-spaced <i>Pinus radiata</i>	18-65
MADGWICK, H.A.I.; BEETS, P.N.; SANDBERG, A.M.; JACKSON, D.S. Nitrogen concentration in foliage of <i>Pinus radiata</i> as affected by nitrogen nutrition, thinning, needle age, and position in crown	13-197
Madgwick, H.A.I. <i>see also</i> BEETS, P.N.	
Madgwick, H.A.I. <i>see also</i> BURDON, R.D.	
Madgwick, H.A.I. <i>see also</i> FREDERICK, D.J.	
Madgwick, H.A.I. <i>see also</i> GRACE, J.C.	
Madgwick, H.A.I. <i>see also</i> JURGENSEN, M.F.	
Madgwick, H.A.I. <i>see also</i> MEAD, D.J.	
Madgwick, H.A.I. <i>see also</i> WEBBER, B.	
Madgwick, H.A.I. <i>see also</i> WILL, G.M.	
MAHENDRAPPA, M.K.; KINGSTON, D.G.O. Intensive harvesting impacts on soil temperature and solution chemistry in the Maritimes region of Canada	24-402
Manley, B. <i>see</i> TE MORENGA, L.	
MANSON, B.R.; GUEST, R. Protection forests of the Wairau catchment	5-123
Mansur, I. <i>see</i> MEAD, D.J.	
MAPLESDEN, F. Japanese sawmilling industry: Current situation, historic trends, and a comparison with the New Zealand industry	23-209
MARDEN, M.; ROWAN, D. Protective value of vegetation on Tertiary terrain before and during Cyclone Bola, East Coast, North Island, New Zealand	23-255
Marden, M. <i>see also</i> BERGIN, D.O.	
MASON, E.G. Causes of juvenile instability of <i>Pinus radiata</i> in New Zealand	15-263
MASON, E.G.; CULLEN, A.W.J. Growth of <i>Pinus radiata</i> on ripped and unripped Taupo pumice soils	16-3
MASON, E.G.; CULLEN, A.W.J.; RIJKSE, W.C. Growth of two <i>Pinus radiata</i> stock types on ripped and ripped/bedded plots at Karioi Forest	18-287
Mason, R.W. <i>see</i> ELLIOTT, G.S.	
MATHESON, A.C.; WILLCOCKS, K.W. Seed yield in a radiata pine seed orchard following pollarding	6-14
McAlpine, R.G. <i>see</i> HOOK, D.D.	

Vol-page

McCONCHIE, B.D. Factors which influence companies in forest management decisions	6-292
McConchie, D.L. <i>see</i> COWN, D.J.	
McConchie, D.L. <i>see also</i> HARRIS, J.M.	
McConchie, D.L. <i>see also</i> LAUSBERG, M.J.F.	
McConchie, D.L. <i>see also</i> TIAN, X.	
McConchie, D.L. <i>see also</i> YOUNG, G.D.	
McConchie, M. <i>see</i> TERLESK, C.J.	
McCORMACK, R.J. Operations research in forest harvesting	12-332
McCORMACK, R.J.; WELLS, K.F. Direct consumption of petroleum products in <i>Pinus radiata</i> thinning in Australia	12-354
McCRACKEN, I.J. Changes in the carbohydrate concentration of pine seedlings after cool storage	9-34
McDONALD, D.S. Log parameters: Length, diameter, taper, form (Letter)	1-240
McINTOSH, P.D. Available nutrients in pumice lapilli of a Kaingaroa Forest soil	10-360
McKELVEY, P.J. Provisional classification of South Island virgin indigenous forests	14-151
McKenzie, H. <i>see</i> GLASS, B.P.	
McKinley, R.B. <i>see</i> YOUNG, G.D.	
McKinnell, F.H. <i>see</i> CREMER, K.W.	
McLaren, R.G. <i>see</i> OLYKAN, S.T.	
McLAUGHLAN, J.M. Properties of treated and untreated <i>Pinus radiata</i> plywood after 12 years' weathering	21-96
McLaughlan, J.M. <i>see also</i> HUTCHINSON, C.I.	
McLaughlan, J.M. <i>see also</i> PLACKETT, D.V.	
McNaught, A.M. <i>see</i> CROMER, R.N.	
McNICKLE, D.C.; WOOLLONS, R.C. Analysis and simulation of a logging weighbridge installation	20-111
McPherson, A.J. <i>see</i> COOPER, R.J.	
McQUIRE, A.J. Effect of wood density on preservative retention in fence posts	5-105
McQUIRE, A.J.; GOUDIE, K.A. Accelerated boron diffusion treatment of timber	2-165
MEAD, D.J. Letter to the Editor	16-249
MEAD, D.J. Response of radiata pine to superphosphate and Christmas Island "C" phosphate fertilisers	4-35
MEAD, D.J. Response of young <i>Pinus radiata</i> to cultivation and fertiliser near Motueka, New Zealand	20-268

	<i>Vol-page</i>
MEAD, D.J.; GADGIL, R.L. Fertiliser use in established radiata pine stands in New Zealand	8–105
MEAD, D.J.; JAMES, I.L. Letter to the Editor	16–128
MEAD, D.J.; MANSUR, I. Vector analysis of foliage data to study competition for nutrients and moisture: An agroforestry example	23–27
MEAD, D.J.; WILL, G.M. Seasonal and between-tree variation in the nutrient levels in <i>Pinus radiata</i> foliage	6–3
MEAD, D.J.; DRAPER, D.; MADGWICK, H.A.I. Dry matter production of a young stand of <i>Pinus radiata</i> : Some effects of nitrogen fertiliser and thinning	14–97
Mead, D.J. <i>see also</i> CLINTON, P.W.	
Mead, D.J. <i>see also</i> MADGWICK, H.A.I.	
Mead, D.J. <i>see also</i> PAYN, T.W.	
Mead, D.J. <i>see also</i> SIX DIJKSTRA, H.G.	
Mead, D.J. <i>see also</i> WHYTE, A.G.D.	
Mead, D.J. <i>see also</i> WOOLLONS, R.C.	
Mees, C.A. <i>see</i> DYCK, W.J.	
MENZIES, M.I.; HOLDEN, D.G. Seasonal frost-tolerance of <i>Pinus radiata</i> , <i>Pinus muricata</i> , and <i>Pseudotsuga menziesii</i>	11–92
MENZIES, M.I.; HOLDEN, D.G.; GREEN, L.M.; ROOK, D.A. Seasonal changes in frost-tolerance of <i>Pinus radiata</i> seedlings raised in different nurseries	11–100
MENZIES, M.I.; HOLDEN, D.G.; ROOK, D.A.; HARDACRE, A.K. Seasonal frost-tolerance of <i>Eucalyptus saligna</i> , <i>E. regnans</i> , and <i>E. fastigata</i>	11–254
Menzies, M.I. <i>see also</i> BALNEAVES, J.M.	
Menzies, M.I. <i>see also</i> HOLDEN, D.G.	
Menzies, M.I. <i>see also</i> KOH, D.S.	
MESSINA, M.G. Herbicides increase growth responses to fertiliser in a 5-year-old <i>Eucalyptus regnans</i> plantation	20–168
MESSINA, M.G.; BARTON, I.L. Early growth and survival of <i>Acacia melanoxylon</i> : Effect of weed control and fertiliser	15–111
MEW, G.; LEAMY, M.L. Matters arising—Reply	8–311
MEW, G.; LEAMY, M.L. Some pedological trends from recent West Coast soil surveys and their relevance to forest use	7–151
MEXAL, J.G. Aspects of mycorrhizal inoculation in relation to reforestation	10–208
Mexal, J.G. <i>see also</i> GARBER, M.P.	
MEYLAN, B.A. Compression wood force generation (Letter)	4–116

	Vol-page
MEYLAN, B.A. Density variation within <i>Cocos nucifera</i> stems	8-369
Meylan, B.A. <i>see also</i> BUTTERFIELD, B.G.	
Miginiac, E. <i>see</i> FOURET, Y.	
Miller, K. <i>see</i> RICHARDSON, B.	
MINKO, G.; HEPWORTH, G. Growth effects of large gaps in <i>Pinus radiata</i> plantations	20-22
MOHAMMED, G.H.; DUNSTAN, D.I.; THORPE, T.A. Influence of nutrient medium upon shoot initiation on vegetative explants excised from 15- to 18-year-old <i>Picea glauca</i>	16-297
Mohammed, G.H. <i>see also</i> DUNSTAN, D.I.	
Moller, I.M. <i>see</i> FLINN, D.W.	
Moore, G.A. <i>see</i> KERRUISH, C.M.	
Moore, G.B. <i>see</i> LEITCH, C.J.	
MOORE, S.; ALMA, P.J. Polyhedral viruses infecting two forest insect pests, <i>Selidosema suavis</i> and <i>Heliothis armigera</i>	4-51
MORAN, G.F.; FORRESTER, R.I.; ROUT, A.F. Early growth of <i>Eucalyptus delegatensis</i> provenances in four field trials in south-eastern Australia	20-148
MORGAN, D.R. Monitoring bait acceptance in brush-tailed possum populations: Development of a tracer technique	11-271
MORGAN, F.D. Forty years of <i>Sirex noctilio</i> and <i>Ips grandicollis</i> in Australia	19-198
Morris, L.A. <i>see</i> SMITH, C.T.	
MORRISON, I.K.; FOSTER, N.W.; HAZLETT, P.W. Carbon reserves, carbon cycling, and harvesting effects in three mature forest types in Canada	23-403
Morrison, I.K. <i>see also</i> FOSTER, N.W.	
Mulholland, R.I. <i>see</i> BERESFORD, R.M.	
Müller, W.J. <i>see</i> SIEMON, G.R.	
MURPHY, G. Recent thinning trials with cable logging systems in New Zealand	12-224
MURPHY, G. Soil damage associated with production thinning	12-281
Murphy, G. <i>see also</i> FIRTH, J.	
Murray, J.C. <i>see</i> GOULDING, C.J.	
MYERS, B.J.; CRAIG, I.E. Changes in water potential of <i>Pinus radiata</i> fascicles during temporary storage	18-3
 N	
Nagmani, R. <i>see</i> KONAR, R.N.	
NAMBIAR, E.K.S. Root configuration and root regeneration in <i>Pinus radiata</i> seedlings	10-249

	<i>Vol-page</i>
NANDA, K.K.; BHATTACHARYA, N.C.; KOCHHAR, V.K. Biochemical basis of adventitious root formation	4-347
NANDA, K.K.; KUMAR, P.; KOCHHAR, V.K. Roles of auxins, antiauxin and phenol in the production and differentiation of callus on stem cuttings of <i>Populus robusta</i>	4-338
NEARY, D.J.; LEONARD, J.H. Effects of forest fertilisation on nutrient losses in streamflow in New Zealand	8-189
NEW, D. Forest health—An industry perspective of the risks to New Zealand's plantations	19-155
NEWHOOK, F.J. Keynote Address: Indigenous forest health in the South Pacific—A plant pathologist's view	19-231
NICHOLAS, I.; HAY, E. Selection of special-purpose species: Effect of pests and diseases	20-279
NICHOLLS, J.W.P.; BROWN, A.G. The effect of hedging on wood characteristics of <i>Pinus radiata</i>	6-397
NICHOLLS, J.W.P.; BROWN, A.G. The relationship between ring width and wood characteristics in double-stemmed trees of radiata pine	4-105
Nicholson, G.M. <i>see</i> HUNTER, I.R.	
Nielsen, W.A. <i>see</i> WILKINSON, G.R.	
Nikles, D.G. <i>see</i> DIETERS, M.I.J.	
Nitsch, C. <i>see</i> de FOSSARD, R.A.	
Noorderhaven, A. <i>see</i> GILMOUR, J.W.	
Nordmeyer, A.H. <i>see</i> OLYKAN, S.T.	
Norman, J.M. <i>see</i> GRACE, J.C.	
NUGENT, G. Successful control of fallow deer by recreational hunters in the blue Mountains, Otago	18-239
NUTTALL, M.J. <i>Rhyssa lineolata</i> (Hymenoptera : Ichneumonidae) as a parasite of <i>Sirex noctilio</i> in New Zealand	4-487
O	
O'Connor, K.F. <i>see</i> BELTON, M.C.	
O'Connor, M.B. <i>see</i> HAWKE, M.F.	
O'LOUGHLIN, C.; WATSON, A. Note on root-wood strength deterioration in <i>Nothofagus fusca</i> and <i>N. truncata</i> after clearfelling	11-183
O'LOUGHLIN, C.L.; WATSON, A. Root strength deterioration in <i>Pinus radiata</i> after clearfelling	9-284
O'Loughlin, C.L. <i>see also</i> PEARCE, A.J.	

- O'Loughlin, C.L. *see also* WATSON, A.
- OKA, S.; YEUNG, E.C.; THORPE, T.A. Shoot formation in *Eucalyptus globulus* hypocotyl explants 12–501
- Oliver, G.R. *see* FREDERICK, D.J.
- Oliver, G.R. *see also* JURGENSEN, M.F.
- Oliver, G.R. *see also* MADGWICK, H.A.I.
- OLLERENSHAW, S. The role of thinning in the management of privately owned plantations 6–283
- OLYKAN, S.T.; ADAMS, J.A. *Pinus radiata* seedling growth and micronutrient uptake in a sand culture experiment, as affected by the form of nitrogen 25–49
- OLYKAN, S.T.; ADAMS, J.A.; NORDMEYER, A.H.; McLAREN, R.G. Micronutrient and macronutrient uptake by *Pinus radiata*, and soil boron fractions, as affected by added nitrogen and boron 25–61
- OPIE, J.E. The development of a model for the evaluation of silvicultural regimes for *Pinus radiata* 6–299
- Opie, J.E. *see also* WRIGHT, J.P.
- P**
- Packham, J.M. *see* KILE, G.A.
- Pardy, G.F. *see* SMALE, M.C
- PARFITT, R.L.; TATE, K.R.; YEATES, G.W.; BEETS, P.N. Phosphorus cycling in a sandy podsol under *Pinus radiata* 24–253
- PARK, J.C. A Grade Index for pruned butt logs 10–419
- PARK, J.C. Applications of the SEESAW simulator and Pruned Log Index to pruned resource evaluations—A case study 19–68
- PARK, J.C. Classing pruned logs and benchmarking sawmill recoveries 19–83
- PARK, J.C. Comparison, via the SEESAW simulator, of three sawing systems for pruned logs 19–54
- PARK, J.C. Pruned Log Index 19–41
- PARK, J.C. Recovery of clear lengths from pruned *Pinus radiata* sawlogs 15–207
- PARK, J.C. Split- versus full-taper sawing of pruned plantation-grown logs 25–231
- PARKES, J.P. Control of feral goats by poisoning with Compound 1080 on natural vegetation baits and by shooting 13–266
- PATEL, K.R.; RUMARY, C.; THORPE, T.A. Plantlet formation in black and white spruce. III. Histological analysis of *in vitro* root formation and the root-shoot union 16–289
- Patel, K.R. *see also* THORPE, T.A.

	<i>Vol-page</i>
PATEL, R.N. Anatomy of stem and root wood of <i>Pinus radiata</i> D.Don	1–37
Patrick, J.E. <i>see</i> BALL G.F.A.	
PAWSEY, C.K. Development of grafts of radiata pine made with scions of different origins	4–371
PAYN, T.W.; MEAD, D.J.; WILL, G.M.; HUNTER, I.R. Magnesium nutrition and dry matter allocation patterns in <i>Pinus radiata</i>	25–39
Payn, T.W. <i>see also</i> BATHGATE, J.L.	
Payn, T.W. <i>see also</i> HÖCK, B.F.	
PEARCE, A.J.; O'LOUGHLIN, C.L. Matters arising: Some pedological trends from recent West Coast soil surveys and their relevance to forest use (Mew and Leamy): A discussion	8–309
Pearson, D.L. <i>see</i> JOHN, A.	
PEKELHARING, C.J. Fluctuation in opossum populations along the north bank of the Taramakau catchment and its effect on the forest canopy	9–212
PEKELHARING, C.J.; REYNOLDS, R.N. Distribution and abundance of browsing mammals in Westland National Park in 1978, and some observations on their impact on the vegetation	13–247
PENMAN, J.T.D. Volume, taper, and bark thickness in seedlings and cuttings from Mamaku Forest, New Zealand	18–311
Peredo, H.L. <i>see</i> HUBER, A.	
PHILLIPS, M.J.; GOH, K.M. Growth response of <i>Pinus radiata</i> to fertiliser and herbicide treatment in a clearfelled logged and a clearfelled logged and burned <i>Nothofagus</i> forest	16–19
Pike, R.B. <i>see</i> KIANG, Y.T.	
PLACKETT, D.V.; CHITTENDEN, C.M.; PRESTON, A.F. Exterior weathering trials on <i>Pinus radiata</i> roofing shingles	14–368
PLACKETT, D.V.; McLAUGHLAN, J.M.; BURTON, R.J. Fibre-based composites in New Zealand: Past developments and future opportunities	21–246
Plackett, D.V. <i>see also</i> ROWELL, R.M.	
Platt, K.H. <i>see</i> ALLEN, R.B.	
PODGER, F.D.; WARDLAW, T.J. Spring needle-cast of <i>Pinus radiata</i> in Tasmania: I. Symptoms, distribution, and association with <i>Cyclaneusma minus</i>	20–184
PODGER, F.D.; WARDLAW, T.J. Spring needle-cast of <i>Pinus radiata</i> in Tasmania: II. Effects of fertilisers and thinning on disease severity, and the impact of disease on growth	20–206
Pollock, D.S. <i>see</i> BEETS, P.N.	
POOK, E.W. Empirical models evaluated for prediction of fine fuel moisture in Australian <i>Pinus radiata</i> plantations	23–278

	<i>Vol-page</i>
POOK, E.W. Seedling growth in tanekaha (<i>Phyllocladus trichomanoides</i>): Effects of shade and other seedling species	9-193
POOLE, B.R. Forest health issues in South-east Asian countries	19-159
Poole, B.R. <i>see also</i> ALBERT, D.J.	
Poole, B.R. <i>see also</i> FRY, G.	
Povey, W.A. <i>see</i> HARRIS, J.M.	
POWER, A.B.; DODD, R.S. Early differential susceptibility of juvenile seedlings and more mature stecklings of <i>Pinus radiata</i> to <i>Dothistroma pini</i>	14-223
PREEST, D. Ester formulation and surfactant affect response of radiata pine and gorse seedlings to 2,4,5-T	9-44
PREEST, D. Seed storage of several New Zealand indigenous trees. 1. Kauri (<i>Agathis australis</i>)	9-337
PREEST, D.S. Long-term growth response of Douglas fir to weed control	7-329
PRESTON, A.F.; BUTCHER, J.A. Fungicidal effectiveness of various salts of a tertiary amine	8-392
PRESTON, A.F.; CHITTENDEN, C.M. Alkylammonium compounds as above-ground wood preservatives	12-102
Preston, A.F. <i>see also</i> BUTCHER, J.A.	
Preston, A.F. <i>see also</i> DRYSDALE, J.A.	
Preston, A.F. <i>see also</i> PLACKETT, D.V.	
Prince, J.M. <i>see</i> HUNTER, I.R.	
PROE, M.F.; DUTCH, J.; GRIFFITHS, J. Harvest residue effect on microclimate, nutrition, and early growth of Sitka spruce (<i>Picea sitchensis</i>) seedlings on a restock site	24-390
Pugh, M.D. <i>see</i> CARRINGTON, A.M.	
Pulliam, W. <i>see</i> YARIE, J.	

R

RAISON, R.J.; KHANNA, P.K.; CRANE, W.J.B. Effects of intensified harvesting on rates of nitrogen and phosphorus removal from <i>Pinus radiata</i> and <i>Eucalyptus</i> forests in Australia and New Zealand	12-394
Rance, S.J. <i>see</i> EASTHAM, J.	
RÄSÄNEN, P.K. Modelling processes of planting stock production and establishment: Framework of the model and its use in practice	10-12
RAUTER, R.M. A short-term improvement programme through vegetative propagation	4-373
RAY, J.W.; VANNER, A.L. Reducing the frequency of seedling malformations in <i>Pinus radiata</i> nurseries by the application of insecticides	18-280

	Vol-page
Ray, J.W. <i>see also</i> RICHARDSON, B.	
RAYMOND, O.H. The introduction of the Windsor RW30 Tree Harvester into early pine thinnings (Abstract)	6-241
RAYMOND, O.H. Thinning <i>Pinus radiata</i> with the Kockums system	12-192
REILLY, K.; WASHER, J. Vegetative propagation of radiata pine by tissue culture: Plantlet formation from embryonic tissue	7-199
Reilly, K. <i>see also</i> WASHER, J.	
Reynolds, R.N. <i>see</i> PEKELHARING, C.J.	
RICHARDSON, B.; RAY, J.W.; VANNER, A.L. Retention of spray on bracken pinnae: Effect of application volume and formulation	16-87
RICHARDSON, B.; VANNER, A.L.; DAVENHILL, N.; BALNEAVES, J.M.; MILLER, K.; RAY, J.W. Interspecific competition between <i>Pinus radiata</i> and some common weed species—First-year results	23-179
RIDLEY, G.S. Mycological records. 1: <i>Diplodia taxi</i> (Sowerby) De Notaris	24-69
RIDLEY, G.S. Mycological records. 2: <i>Neurospora intermedia</i> Tai	24-71
RIDLEY, G.S. Mycological records. 3: <i>Coniothyrium ovatum</i> Swart	25-105
Rijkse, W.C. <i>see</i> MASON, E.G.	
RIMBAWANTO, A.; COOLBEAR, P.; FIRTH, A. Artificial ripening of prematurely harvested cones of New Zealand <i>Pinus radiata</i> and its effect on seed quality	18-149
RIMBAWANTO, A.; COOLBEAR, P.; DOURADO, A.M.; FIRTH, A. Seed maturation precedes cone ripening in New Zealand <i>Pinus radiata</i>	18-139
RITCHIE, G.A.; DUNLAP, J.R. Root growth potential: Its development and expression in forest tree seedlings	10-218
RITCHIE, G.A.; LONG, A.J. Field performance of micropropagated Douglas fir	16-343
Robertson, A.G. <i>see</i> EDWARDS, W.R.N.	
Robertson, E.D. <i>see</i> THORN, A.J.	
Robson, A.B. <i>see</i> BELTON, M.C.	
ROCKELL, A.L. The influence of silviculture and the role of thinning on a region's wood supply	6-253
Rogers, O.M. <i>see</i> KIANG, Y.T.	
ROOK, D.A. Conditioning radiata pine seedlings to transplanting, by restricted watering	3-54
ROOK, D.A.; HOBBS, J.F.F. Soil temperatures and growth of rooted cuttings of radiata pine	5-296
ROOK, D.A.; WHYTE, A.G.D. Partial defoliation and growth of 5-year-old radiata pine	6-40

	<i>Vol-page</i>
ROOK, D.A.; BOLLMANN, M.P.; HONG, S.O. Foliage development within the crowns of <i>Pinus radiata</i> trees at two spacings	17-297
Rook, D.A. <i>see also</i> CAMERON R.J.	
Rook, D.A. <i>see also</i> CRANSWICK, A.M.	
Rook, D.A. <i>see also</i> HELLMERS, H.	
Rook, D.A. <i>see also</i> JENKINS, P.A.	
Rook, D.A. <i>see also</i> MENZIES, M.I.	
Rook, D.A. <i>see also</i> WARRINGTON, I.J.	
Rose, C.W. <i>see</i> EASTHAM, J.	
ROTH, L.F.; SHAW, C.G.; MACKENZIE, M.; CROCKETT, F.H. Early patterns of Armillaria root rot in New Zealand pine plantations converted from indigenous forest—An alternative interpretation	9-316
ROULUND, H. Comparative study of characteristics of seedlings and clonal cuttings	4-378
Rout, A.F. <i>see</i> MORAN, G.F.	
Rowan, D. <i>see</i> MARDEN, M.	
ROWE, L.K. Rainfall interception by mountain beech	5-45
ROWELL, R.M.; PLACKETT, D.V. Dimensional stability of flakeboards made from acetylated <i>Pinus radiata</i> heartwood or sapwood flakes	18-124
Ruiz Urrestarazu, M.M. <i>see</i> COBOS SUAREZ, J.M.	

S

Salerno, M.I. <i>see</i> FOSTER, N.W.	
SALONIUS, P.; BEATON, K. Needle loss in black spruce: Nutrient concentration during shoot extension	24-183
Sandberg, A.M. <i>see</i> GADGIL, R.L.	
Sandberg, A.M. <i>see also</i> MADGWICK, H.A.I.	
Sandberg, C.J. <i>see</i> HOOD, I.A.	
SANDS, R. Radiata pine bark—Aspects of morphology, anatomy, and chemistry	5-74
SANDVIK, M. Environmental control of winter stress tolerance and growth potential in seedlings of <i>Picea abies</i> (L.) Karst.	10-97
SANTANTONIO, D.; SANTANTONIO, E. Seasonal changes in standing crops of live and dead fine roots during two successive years in a thinned plantation of <i>Pinus radiata</i> in New Zealand	17-315
SAUR, E. Phosphate fertiliser and copper nutrition of maritime pine in south-western France	24-321
Schlentner, R. <i>see</i> YARIE, J.	

	<i>Vol-page</i>
SEDGLEY, J.H. Alternative silvicultural regimes: Effect of over-all management policy on options	12-324
SELF, N.M. Pathogenicity of <i>Seiridium unicorne</i> reduced by simultaneous inoculation with normal and degenerate isolates	24-78
SELF, N.M.; CHOU, C.K.S. Pruning effect on incidence and severity of <i>Seiridium</i> cypress canker in a stand of <i>Cupressus lusitanica</i>	24-75
SELF, N.M.; MacKENZIE, M. Intensive site-preparation to control <i>Armillaria</i> root disease in second-rotation <i>Pinus radiata</i>	25-111
SHAW, C.G. III; MacKENZIE, M. Spatial relationships between <i>Armillaria</i> root rot of <i>Pinus radiata</i> seedlings and the stumps of indigenous trees	7-374
SHAW, C.G. III; MacKENZIE, M.; TOES, E.H.A.; HOOD, I.A. Cultural characteristics and pathogenicity to <i>Pinus radiata</i> of <i>Armillaria novae-zelandiae</i> and <i>A. limonea</i>	11-65
Shaw, C.G. <i>see also</i> ROTH, L.F.	
SHAW, S.N. Long-term production and the effect of tree size on productivity of cutters in first thinnings of <i>Pinus radiata</i> at Tumut, New South Wales	12-180
Shearer, B.L. <i>see</i> DAVISON, E.M.	
SHEEHAN, P.G.; LAVERY, P.B.; WALSH, B.M. Thinning and salvage strategies in plantations prone to wind damage—Case study of radiata pine plantations in the Ovens Valley, Victoria	12-269
SHELBOURNE, C.J.A.; LOW, C.B. Multi-trait index selection of <i>Pinus radiata</i> progenies at five sites and associated genetic gains	10-307
SHELBOURNE, C.J.A.; THULIN, I.J. Early results from a clonal selection and testing programme with radiata pine	4-387
Shelbourne, C.J.A. <i>see also</i> BURDON, R.D.	
Shelbourne, C.J.A. <i>see also</i> CANNON, P.G.	
Shelbourne, C.J.A. <i>see also</i> WILCOX, M.D.	
SHEPHERD, K.R. Biological constraints to thinning practice	6-152
SHEPHERD, K.R. The use of controlled environments in forestry research	10-105
Shepherd, K.R. <i>see also</i> BENSON, A.D.	
Shepherd, K.R. <i>see also</i> JENKINS, P.A.	
Shepherd, K.R. <i>see also</i> KERRUISH, C M	
Shepherd, K.R. <i>see also</i> STUPENDICK, J-A.T.	
SHERIDAN, J.E. Quarantine risks imposed by overseas passengers	19-338
Shirley, J.W. <i>see</i> HÖCK, B.F.	
SHUSHENG, P.; KEYEY, R.B.; LANGRISH, T.A.G.; WALKER, J.C.F. Airflow reversals in high-temperature kiln drying of <i>Pinus radiata</i> boards. 1: Drying of a single board	24-83

	Vol-page
SHUSHENG, P.; KEEY, R.B.; WALKER, J.C.F.; LANGRISH, T.A.G. Airflow reversals in high-temperature kiln drying of <i>Pinus radiata</i> boards. 2: Drying of a stack of boards	24-104
SIEMON, G.R.; WOOD, G.B.; FORREST, W.G. Effects of thinning on crown structure in radiata pine	6-57
SIEMON, G.R.; MÜLLER, W.J.; WOOD, G.B.; FORREST, W.G. Effect of thinning on the distribution and biomass of foliage in the crown of radiata pine	10-461
Silvester, W.B. <i>see</i> COKER, A.	
SIMOLA, L.K.; HUHTINEN, O. Growth, differentiation, and ultrastructure of microspore callus of <i>Picea abies</i> as affected by nitrogenous supplements and light	16-357
Simpson, I.G. <i>see</i> HASLETT, A.N.	
Simpson, J.A. <i>see</i> STONE, C.	
Sims, A.T. <i>see</i> MADGWICK, H.A.I.	
SIX DIJKSTRA, H.G.; MEAD, D.J.; JAMES, I.L. Stand structure in terrace rimu forest of Saltwater Forest, south Westland, and its implications for management	15-3
Skipwith, J.H. <i>see</i> LAUSBERG, M.J.F.	
Slater-Hayes, J.D. <i>see</i> VAN DER PAS, J.B.	
Sleeman, M. <i>see</i> DONG CHEN, X.	
SMALE, M.C. Growth and development of vegetative shoots of cut tawa trees at Pureora and Rotoehu	12-442
SMALE, M.C.; KIMBERLEY, M.O. Growth of naturally regenerated <i>Beilschmiedia tawa</i> and podocarps in unlogged and selectively logged podocarp/tawa forest, Pureora	16-131
SMALE, M.C.; KIMBERLEY, M.O. Regeneration patterns in <i>Beilschmiedia tawa</i> -dominant forest at Rotoehu	13-58
SMALE, M.C.; KIMBERLEY, M.O. Regeneration patterns in <i>Beilschmiedia tawa</i> -dominant forest at Rotoehu: A modified presentation of some of the data	19-134
SMALE, M.C.; KIMBERLEY, M.O. Regeneration patterns in montane conifer/broadleaved forest on Mt Pureora, New Zealand	23-123
SMALE, M.C.; BEVERIDGE, A.E.; PARDY, G.F.; STEWARD, G.A. Selective logging in podocarp/tawa forest at Pureora and Whirinaki	17-29
SMALE, M.C.; VAN OEVEREN, H.; GLEASON, C.D.; KIMBERLEY, M.O. Dynamics of even-aged <i>Nothofagus truncata</i> and <i>N. fusca</i> stands in north Westland, New Zealand	17-12

	<i>Vol–page</i>
SMALE, M.C.; BERGIN, D.O.; GORDON, A.D.; PARDY, G.F.; STEWARD, G.A. Selective logging of dense podocarp forest at Whirinaki: Early effects	15–36
Smale, P.J. <i>see</i> WOOLLONS, R.C.	
SMART, D.W.; CAMERON, R.E. Resistance of particle board to <i>Poria monticola</i> and <i>Lenzites trabea</i>	1–238
Smethurst, P.J. <i>see</i> COMERFORD, N.B.	
SMITH, C.T.; DYCK, W.J. Impacts of harvesting and site preparation on carbon cycling processes in forests: Guest editorial	23–341
SMITH, C.T.; BEETS, P.N.; DYCK, W.J.; MORRIS, L.A. Guest editorial	24–129
SMITH, C.T.; LOWE, A.T.; BEETS, P.N.; DYCK, W.J. Nutrient accumulation in second-rotation <i>Pinus radiata</i> after harvest residue management and fertiliser treatment of coastal sand dunes	24–362
SMITH, V.G. Minimum total cost: An improved weigh scaling strategy	8–269
SNOWDON, P. Ratio methods for estimating forest biomass	22–54
SOMERVILLE, A.R. Growth and utilisation of young <i>Cupressus macrocarpa</i>	23–163
SOMERVILLE, A.R. Resin pockets and related defects of <i>Pinus radiata</i> grown in New Zealand	10–439
SOMERVILLE, A.R. Root anchorage and root morphology of <i>Pinus radiata</i> on a range of ripping treatments	9–294
SOMERVILLE, A.R. Wind-damage profiles in a <i>Pinus radiata</i> stand	11–75
SOMERVILLE, A.R. Wind stability: Forest layout and silviculture	10–476
SOMERVILLE, A.R.; GOSNELL, T.K. Slicing study of pruned <i>Pinus radiata</i> logs	16–96
SOUTH, D.B. Testing the hypothesis that mean relative growth rates eliminate size-related growth differences in tree seedlings	21–144
SPIERS, A.G. Introduction of poplar and willow pathogens into New Zealand and their effect	19–347
STEINER, J.T. Meteorological factors associated with a fire whirlwind	6–421
STEVENS, P.J.G. Formulation of sprays to improve the efficacy of foliar fertilisers	24–27
Steward, G.A. <i>see</i> SMALE, M.C.	
Stewart, H.T.L. <i>see</i> BAKER, T.G.	
STEWART, G.H. Ecological considerations of dieback in New Zealand's indigenous forests	19–243
Stomp, A.-M. <i>see</i> BERGMANN, B.A.	
STONE, C.; SIMPSON, J.A. Species associations in <i>Ips grandicollis</i> galleries in <i>Pinus taeda</i>	20–75

- Stratton, L. *see* LLOYD, J.A.
- Strickler, A. *see* DINER, A.M.
- STUPENDICK, J.-A.T.; SHEPHERD, K.R. Root regeneration of root-pruned *Pinus radiata* seedlings. 2. Effects of root-pruning on photosynthesis and translocation 10-148
- SUITER FILHO, W.; TAKESHI YONEZAWA, J. Survival of *Eucalyptus saligna* grafted by different methods 4-235
- SUTTON, R.F. Planting stock quality, root growth capacity, and field performance of three boreal conifers 10-54
- SUTTON, R.F. Root system morphogenesis 10-264
- Sutton, R.F. *see also* WILLEN, P.
- SUTTON, W.R.J. Changes in tree dominance and form in a young radiata pine stand 3-323
- SUTTON, W.R.J. Comparison of alternative silvicultural regimes for radiata pine 6-350
- SUTTON, W.R.J. Comparison of low pruning selection methods in radiata pine 1-231
- SUTTON, W.R.J.; CROWE, J.B. Selective pruning of radiata pine 5-171
- SUTTON, W.R.J.; HARRIS, J.M. Effect of heavy thinning on wood density in radiata pine 4-112
- Sutton, W.R.J. *see also* FENTON, R.
- SVENSON, G.A.; KIMBERLEY, M.O. Can DRIS improve diagnosis of nutrient deficiency in *Pinus radiata*? 18-33
- Swaffield, S.R. *see* FAIRWEATHER, J.R.
- Swann, D.A. *see* KERR, A.J.
- SWANSON, R.H.; BENECKE, U.; HAVRANEK, W.M. Transpiration in mountain beech estimated simultaneously by heat-pulse velocity and climatized cuvette 9-170
- SWEET, G.B. A physiological study of seed cone production in *Pinus radiata* 9-20
- SWEET, G.B. Keynote Address: Maintaining health in plantation forests 19-143
- SWEET, G.B. The effect of maturation on the growth and form of vegetative propagules of radiata pine 3-191
- SWEET, G.B.; BOLLMANN, M.P. Seasonal growth of the female strobilus in *Pinus radiata* 1-15
- SWEET, G.B.; BOLLMANN, M.P. The terminology of pine shoot growth 6-393
- SWEET, G.B.; HARRIS, J.M. Wood properties of *Pinus radiata*: Seed-grown trees compared with grafts from different-aged ortets 6-114
- SWEET, G.B.; HONG, S.O. The role of nitrogen in relation to cone production in *Pinus radiata* 8-225

	<i>Vol-page</i>
SWEET, G.B.; THULIN, I.J. Graft incompatibility in radiata pine in New Zealand	3–82
SWEET, G.B.; WELLS, L. Comparison of the growth of vegetative propagules and seedlings of <i>Pinus radiata</i>	4–399
Sweet, G.B. <i>see also</i> BILLINGTON, H.L.	
Sweet, G.B. <i>see also</i> BOLLMANN, M.P.	
Sweet, G.B. <i>see also</i> LILL, B.S.	
SWENEY, W.J.; JONES, A.E. Methods for sampling foliage and insect populations of the beech forest canopy	5–119

T

Tahau, F. <i>see</i> KNOWLES, R.L.	
Takeshi Yonezawa, J. <i>see</i> SUITER FILHO, W.	
Tate, K.R. <i>see</i> PARFITT, R.L.	
TE MORENGA, L.; MANLEY, B.; WAKELIN, S. Examination of croptyping in forest estate modelling	25–328
TEASDALE, R.D. Generation of a sustainable <i>Pinus radiata</i> cell suspension culture and studies of cellular nitrogen nutrition	16–377
TEASDALE, R.D.; BUXTON, P.A. Culture of <i>Pinus radiata</i> embryos with reference to artificial seed production	16–387
TENNENT, R.B. Competition quotient in young <i>Pinus radiata</i>	5–230
TENNENT, R.B. Individual-tree growth model for <i>Pinus radiata</i>	12–62
TENNENT, R.B. Intra-annual growth of young <i>Pinus radiata</i> in New Zealand	16–166
TENNENT, R.B. Site index equations for radiata pine in New Zealand (Letter)	11–199
Tennent, R.B. <i>see also</i> BURKHART, H.E.	
Tennent, R.B. <i>see also</i> FENTON, R.	
TERLESK, C.J.; McCONCHIE, M. Stand re-organisation: Results from the trials at Hautu Forest, New Zealand	18–329
TERLESK, C.J.; WALKER, K. A highly mechanised harvesting system in New Zealand	12–199
TERLESK, C.J.; McCONCHIE, M.; TWADDLE, A. Stand reorganisation to facilitate load accumulation in production thinning	13–325
Terlesk, C.J. <i>see also</i> TUSTIN, J.R.	
Thomas, R.S. <i>see</i> GIFFORD, H.H.	
THORN, A.J.; ROBERTSON, E.D. Zinc deficiency in <i>Pinus radiata</i> at Cape Karikari, New Zealand	17–129
Thorn, A.J. <i>see also</i> HUNTER, I.R.	

	<i>Vol-page</i>
THORPE, T.A.; PATEL, K.R. Comparative morpho-histological studies on the sites of shoot initiation in various conifer explants	16–257
Thorpe, T.A. <i>see also</i> DUNSTAN, D.I.	
Thorpe, T.A. <i>see also</i> MOHAMMED, G.H.	
Thorpe, T.A. <i>see also</i> OKA, S.	
Thulin, I.J. <i>see</i> SHELBOURNE, C.J.A.	
Thulin, I.J. <i>see also</i> SWEET, G.B.	
Thulin, I.J. <i>see also</i> WILCOX, M.D.	
TIAN, X.; COWN, D.J.; LAUSBERG, M.J.F. Modelling of <i>Pinus radiata</i> wood properties. Part 1: Spiral grain	25–200
TIAN, X.; COWN, D.J.; McCONCHIE, D.L. Modelling of <i>Pinus radiata</i> wood properties. Part 2: Basic density	25–214
TIMMIS, R. Stress resistance and quality criteria for tree seedlings: Analysis, measurement, and use	10–21
Tinus, R. <i>see</i> CLEARY, B.D.	
TODA, R. Vegetative propagation in relation to Japanese forest tree improvement	4–410
TODOROKI, C.L. Grading random-width lumber by computer	25–367
TODOROKI, C.L. Log rotation effect on carriage sawing of swept logs	25–246
TODOROKI, C.L. SEESAW: A visual sawing simulator, as developed in Version 3.0	18–116
Toes, E.H.A. <i>see</i> SHAW, C.G. III	
Tompkins, D. <i>see</i> CROMER, R.N.	
Treloar, C.R. <i>see</i> COWN, D.J.	
Treloar, C.R. <i>see also</i> LAUSBERG, M.J.F.	
Turland, J. <i>see</i> HOLLINGER, D.Y.	
TURNER, J.; LAMBERT, M.J. Soil properties as affected by <i>Pinus radiata</i> plantations	18–77
Turner, J. <i>see also</i> LAMBERT, M.J.	
TUSTIN, J.R.; TERLESK, C.J.; FRASER, T. Thinning in New Zealand radiata pine plantations—Future practices and research needs	6–333
Tustin, J.R. <i>see also</i> FENTON, R.	
Twaddle, A. <i>see</i> TERLESK, C.J.	

U

UPRICHARD, J.M. Effects of wood age on the papermaking properties of radiata pine kraft pulps	10–558
---	--------

- UPRICHARD, J.M.; LLOYD, J.A. Influence of tree age on the chemical composition of radiata pine 10-551
- V**
- VACLAV, E. Vegetative propagation of birch 4-237
- Van Cleve, K. *see* YARIE, J.
- VAN DEN DRIESSCHE, R. Reciprocal grafting between three spruce species 4-448
- VANDER PAS, J.B. A statistical appraisal of Armillaria root rot in New Zealand plantations of *Pinus radiata* 11-23
- VAN DER PAS, J.B. Reduced early growth rates of *Pinus radiata* caused by *Dothistroma pini* 11-210
- VANDER PAS, J.B.; BULMAN, L.; HORGAN, G.P. Disease control by aerial spraying of *Dothistroma pini* in tended stands of *Pinus radiata* in New Zealand 14-23
- VAN DER PAS, J.B.; BULMAN, L.; SLATER-HAYES, J.D. Cyclaneusma (Naemacyclus) needle-cast of *Pinus radiata* in New Zealand. 3: Incidence and severity of the needle-cast 14-210
- VANDER PAS, J.B.; KIMBERLEY, M.O.; KERSHAW, D.J. Evaluation of the assessment of *Dothistroma* needle blight in stands of *Pinus radiata* 14-3
- VAN DER PAS, J.B.; SLATER-HAYES, J.D.; GADGIL, P.D.; BULMAN, L. Cyclaneusma (Naemacyclus) needle-cast of *Pinus radiata* in New Zealand. 2: Reduction in growth of the host, and its economic implication 14-197
- van der Pas, J.B. *see also* HOOD, I.A.
- VAN DER WERFF, H.S. Cypress canker in New Zealand plantations 18-101
- VAN DORSSER, J.C.; FAULDS, T. Propagation system for the production of rooted cuttings from physiologically mature *Pinus radiata* within 2 years of field collection 21-135
- Van Oeveren, H. *see* SMALE, M.C.
- VAN REES, K.C.J. Michaelis-Menten kinetics: Calculation and use in nutrient uptake models 24-226
- Vanner, A.L. *see* HOOD, I.A.
- Vanner, A.L. *see also* RAY, J.W.
- Vanner, A.L. *see also* RICHARDSON, B.
- VIEITEZ, E. Vegetative propagation of chestnut 4-242
- Vine, M.H. *see* BANNISTER, M.H.
- Von Althen, F.W. *see* WEBB, D.P.

W

- WAID, J.S.; LILL, R.E. Volatile phytotoxic substances formed by litter of *Pinus radiata* 5–165
- Wakelin, S. *see* TE MORENGA, L.
- WALFORD, G.B. Combined visual and mechanical grading of *Pinus radiata* 11–298
- Walford, G.B. *see also* COWN, D.J.
- Walker, J.C.F. *see* ADDIS TSEHAYE
- Walker, J.C.F. *see also* CARRINGTON, A.M.
- Walker, J.C.F. *see also* GUNZERODT, H.
- Walker, J.C.F. *see also* SHUSHENG, P.
- Walker, J.C.F. *see also* WILSON, P.J.
- Walker, J.R.L. *see* JAMES, T.I.
- Walker, K. *see* TERLESK, C.J.
- Walker, T.W. *see* ADAMS, J.A.
- Walker, T.W. *see also* LEVETT, M.P.
- Walsh, P.J. *see* HOSKING, G.P.
- Walsh, B.M. *see* SHEEHAN, P.G.
- WARD, J.P. Cable logging hoop pine plantations in south-east Queensland 12–238
- Ward, J.P. *see also* BACON, G.J.
- WARDLAW, T.J. Management of Tasmanian forests affected by regrowth dieback 19–265
- Wardlaw, T.J. *see also* PODGER, F.D.
- WARDLE, J. Influence of introduced mammals on the forest and shrublands of the Grey River headwaters 4–459
- WARDLE, J.; GUEST, R. Forests of the Waitaki and Lake Hawea catchments 7–44
- WARDLE, J.; HAYWARD, J.; HERBERT, J. Forests and scrublands of northern Fiordland 1–80
- WARDLE, J.; HAYWARD, J.; HERBERT, J. Influence of ungulates on the forests and scrublands of south Westland 3–3
- WARRINGTON, I.J.; JACKSON, A.K.H. Injury to radiata pine as influenced by freezing and thawing rate, and low temperature duration 11–37
- WARRINGTON, I.J.; ROOK, D.A. Evaluation of techniques used in determining frost tolerance of forest planting stock: A review 10–116
- Warrington, I.J. *see also* GREEN, L.M.
- WASHER, J.; REILLY, K.; BARNETT, J. Differentiation in *Pinus radiata* callus culture: The effect of nutrients 7–321

	Vol-page
Washer, J. <i>see also</i> REILLY, K.	
WATSON, A.; O'LOUGHLIN, C.L. Morphology, strength, and biomass of manuka roots and their influence on slope stability	15-337
WATSON, A.; O'LOUGHLIN, C.L. Structural root morphology and biomass of three age-classes of <i>Pinus radiata</i>	20-97
Watson, A. <i>see also</i> O'LOUGHLIN, C.L.	
Watt, A.J. <i>see</i> WILSON, R.V.	
WEBB, D.P.; VON ALTHEN, F.W. Storage of hardwood planting stock: Effects of various storage regimes and packaging methods on root growth and physiological quality	10-83
WEBBER, B.D. Potential increase in nutrient requirements of <i>Pinus radiata</i> under intensified management	8-146
WEBBER, B.D.; MADGWICK, H.A.I. Biomass and nutrient content of a 29-year-old <i>Pinus radiata</i> stand	13-222
Webber, B.D. <i>see also</i> DYCK, W.J.	
Wells, K.F. <i>see</i> McCORMACK, R.J.	
Wells, L.G. <i>see</i> FRANICH, R.A.	
Wells, L.G. <i>see also</i> SWEET, G.B.	
WEST, G.G. Douglas fir, Japanese larch, and European larch in pure and mixed stands	21-3
WEST, G.G. Establishment requirements of <i>Pinus radiata</i> cuttings and seedlings compared	14-41
West, G.G. <i>see also</i> MACLAREN, J.P.	
WEST, P.W. Comparative growth rates of several eucalypts in mixed-species stands in southern Tasmania	11-45
Wheeler, A.M. <i>see</i> CROMER, R.N.	
WHITEHEAD, D. Assessment of water status in trees from measurements of stomatal conductance and water potential	10-159
WHITEHEAD, D. Letter to the Editor	13-242
WHITEHEAD, D.; LEATHWICK, J.R.; HOBBS, J.F.F. How will New Zealand's forests respond to climate change? Potential changes in response to increasing temperature	22-39
Whitehead, D. <i>see also</i> GIFFORD, H.H.	
WHITEHEAD, H.C.M.; GILES, K.L. Rapid propagation of poplars by tissue culture methods	7-40
Whybrew, K. <i>see</i> GUNZERODT, H.	
WHYTE, A.G.D. Growth of first rotation radiata pine in Golden Downs State Forest, Nelson, for comparison with subsequent crops	2-227

	<i>Vol-page</i>
WHYTE, A.G.D. Measurement of trees: A rejoinder (Letter)	1-244
WHYTE, A.G.D. Sectional measurement of trees: A rationalised method	1-74
WHYTE, A.G.D.; MEAD, D.J. Quantifying responses to fertiliser in the growth of <i>radiata</i> pine	6-431
WHYTE, A.G.D.; MEAD, D.J.; BALLARD, R. Production forest fertiliser trials: Information they should provide and how to get it	8-178
Whyte, A.G.D. <i>see also</i> ROOK, D.A.	
Whyte, A.G.D. <i>see also</i> WOOLLONS, R.C.	
Wikström, J.F. <i>see</i> ÅGREN, G.I.	
Wikström, J.F. <i>see also</i> BENGTTSSON, J.	
WILCOX, M.D. Genetic improvement of eucalypts in New Zealand	10-343
WILCOX, M.D. Genetic variation and inheritance of resistance to <i>Dothistroma</i> needle blight in <i>Pinus radiata</i>	12-14
WILCOX, M.D. Genetic variation in frost tolerance, early height growth, and incidence of forking among and within provenances of <i>Eucalyptus fastigata</i>	12-510
WILCOX, M.D. Preliminary selection of suitable provenances of <i>Eucalyptus regnans</i> for New Zealand	12-468
WILCOX, M.D. Selection of genetically superior <i>Eucalyptus regnans</i> using family tests	12-480
WILCOX, M.D. The ash group of eucalypts	9-133
WILCOX, M.D. The peppermint group of eucalypts	9-262
WILCOX, M.D.; FIRTH, A. Artificial ripening of green <i>Pinus radiata</i> cones does not reduce seed germination or seedling vigour	10-363
WILCOX, M.D.; THULIN, I.J. Growth of <i>Eucalyptus regnans</i> in a plot at Rotorua	9-166
WILCOX, M.D.; SHELBOURNE, C.J.A.; FIRTH, A. General and specific combining ability in eight selected clones of <i>radiata</i> pine	5-219
Wilcox, M.D. <i>see also</i> KING, J.N.	
WILKES, J.; HEATHER, W.A. Correlation of resistance to a pulsed current with several wood properties in living eucalypts	13-139
WILKINSON, G.B.; DALY, G.T. Comparative assessment of some National Forest Survey types	6-363
Wilkinson, G.B. <i>see also</i> GUEST, R.	
WILKINSON, G.R.; NIELSEN, W.A.; EDWARDS, L.G. Hexazinone use for grass and woody weed control—Effects on establishment and long-term growth of <i>Pinus radiata</i> plantations	22-12
WILL, G.M. A field lysimeter to study water movement and nutrient content in a pumice soil under <i>Pinus radiata</i> forest. I. Site and construction details	7-144

	<i>Vol-page</i>
WILL, G.M. Copper deficiency in radiata pine planted on sands at Mangawhai Forest	2–217
WILL, G.M. Letter to the Editor	14–146
WILL, G.M. Nutrient deficiencies in <i>Pinus radiata</i> in New Zealand	8–4
WILL, G.M. Use of fertilisers in New Zealand forestry operations 1980	11–191
WILL, G.M.; HODGKISS, P.D. Influence of nitrogen and phosphorus stresses on the growth and form of radiata pine stems and crowns	7–307
WILL, G.M.; HODGKISS, P.D.; MADGWICK, H.A.I. Nutrient losses from litterbags containing <i>Pinus radiata</i> litter: Influences of thinning, clearfelling, and urea fertiliser	13–291
Will G.M. <i>see also</i> BALLARD, R.	
Will, G.M. <i>see also</i> KNIGHT, P.J.	
Will, G.M. <i>see also</i> MEAD, D.J.	
Will, G.M. <i>see also</i> PAYN, T.W.	
Will, G.M. <i>see also</i> WORSNOP, G.	
Willcocks, K.W. <i>see</i> MATHESON, A.C.	
WILLÉN, P.; SUTTON, R.F. Evaluation of stock after planting	10–297
WILLIAMS, D.H. Internal checking in New Zealand-grown radiata pine after high temperature drying	11–60
Williams, D.H. <i>see also</i> HASLETT, A.N.	
Williams, E.R. <i>see</i> CROMER, R.N.	
WILLIAMS, J. Water relations of three planting stock types of <i>Pinus caribaea</i> following transplanting	5–87
Wilson, E.R.L. <i>see</i> LEVETT, M.P.	
WILSON, P.J.; ALLEN, J.D.; WALKER, J.C.F. Appraisal of the Shigometer technique	12–86
WILSON, R.V.; WATT, A.J. An economic comparison of alternative silvicultural treatments in <i>Pinus radiata</i>	6–318
WINGATE-HILL, R.; CUNNINGHAM, R.B. Confined and unconfined radial compression perpendicular to the grain of green sapwood from <i>Pinus radiata</i> and <i>Eucalyptus regnans</i>	16–213
WINGATE-HILL, R.; CUNNINGHAM, R.B. Moisture removal from green sapwood during platen pressing	16–109
WINGATE-HILL, R.; JAKOBSEN, B.F. Increased mechanisation and soil damage in forests—A review	12–380
Wochok, Z.S. <i>see</i> ABO EL-NIL, M.	

	Vol-page
WOLF, L.J.; HARTNEY, V.J. Computer system to assist with management of a tissue culture laboratory	16-392
WOOD, G.B.; BRITTAİN, E.G. Photosynthesis, respiration, and transpiration of radiata pine	3-181
Wood, G.B. <i>see also</i> SIEMON, G.R.	
Woolaston, R.R. <i>see</i> DIETERS, M.I.J.	
WOOLLONS, R.C.; HAYWARD, W.J. Growth losses in <i>Pinus radiata</i> stands unsprayed for <i>Dothistroma pini</i>	14-14
WOOLLONS, R.C.; SMALE, P.J.; DU BURGESS, F.F. Analytical methods to aid interpretation of thinning experiments	24-18
WOOLLONS, R.C.; WHYTE, A.G.D.; MEAD, D.J. Long-term growth responses in <i>Pinus radiata</i> fertiliser experiments	18-199
Woollons, R.C. <i>see also</i> McNICKLE, D.C.	
WORSNOP, G.; WILL, G.M. Fate of ¹⁵ N urea fertiliser applied to a recently thinned radiata pine stand on a pumice soil	10-381
WRIGHT, J.A. Provenance variation in wood properties of <i>Pinus caribaea</i> var. <i>hondurensis</i>	20-220
WRIGHT, J.P. First thinning options. Row thinning v. selection thinning	6-308
WRIGHT, J.P.; OPIE, J.E. A short review of thinning practice in Victoria	6-259
WUNDER, W.G. Vegetative propagation of Japanese larch	4-161
WYLIE, F.R. Recent trends in plant quarantine policy in Australia and New Zealand and their implications for forestry	19-308
WYLIE, F.R.; LANDSBERG, J. Rural tree decline in Australia	19-306
 X	
Xi, Y. <i>see</i> ZHANG, X.	
 Y	
YARIE, J.; PULLIAM, W.; VAN CLEVE, K.; SCHLENTNER, R. Carbon and nutrient availability effect on plant nutrient supply for upland forest sites in interior Alaska	24-234
YEATES, G.W. Earthworm and enchytraeid populations in a 13-year-old agroforestry system	18-304
YEATES, G.W. Nematodes in New Zealand forest nurseries	20-249
Yeates, G.W. <i>see also</i> PARFITT, R.L.	
Yeung, E.C. <i>see</i> OKA, S.	

- YOUNG, G.D.; McCONCHIE, D.L.; McKINLEY, R.B. Utilisation of 25-year-old *Pinus radiata*. Part 1: Wood properties 21-217
- Young, G.D. *see also* COWN, D.J.
- Young, G.D. *see also* KING, J.N.

Z

- Zabkiewicz, J.A. *see* BURDON, R.D.
- Zabkiewicz, J.A. *see also* CRANSWICK, A.M.
- ZABOWSKI, D.; HENRY, C.L. Soil and foliar nitrogen after fertiliser treatment of ponderosa pine 24-333
- ZAERR, J.B.; LAVENDER, D.P. Analysis of plant growth substances in relation to seedling and plant growth 10-186
- Zaerr, J.B. *see also* CLEARY, B.D.
- ZHANG, X.; XI, Y.; ZHOU, W.; KAY, M. *Cleopus japonicus*, a potential biocontrol agent for *Buddleja davidii* in New Zealand 23-78
- Zhou, W. *see* ZHANG, X.
- ZONDAG, R. Breeding of the clerid *Thanasimus formicarius* for the control of the bark beetles *Hylastes ater* and *Hylurgus ligniperda* in New Zealand 9-125
- ZONDAG, R. Control of *Sirex noctilio* (F.) with *Deladenus siricidicola* Bedding. Part 1—1967 field trial 1-5
- ZONDAG, R. Control of *Sirex noctilio* F. with *Deladenus siricidicola*. Part II. Introductions and establishment in the South Island 1968-75 9-68